



# 2009

MODEL YEAR VEHICLES

## SELECTION LIST

### Isolation Module System Snowplows



Lit. No. 69749  
Revision 00  
May 15, 2010

This document supersedes all editions with an earlier date.

## TABLE OF CONTENTS

<b>About the <i>Selection List</i></b> .....	<b>3</b>	<b>Toyota Attachment Kits</b> .....	<b>27</b>
<b>Selection Example</b> .....	<b>4</b>	<b>International Attachment Kits</b> .....	<b>29</b>
<b>Chevy/GMC Attachment Kits</b> .....	<b>5</b>	<b>Headlamp Type Identification Guide</b> .....	<b>30</b>
<b>Dodge Attachment Kits</b> .....	<b>9</b>	<b>Weight and Dimensional Charts</b> .....	<b>31</b>
<b>Ford Attachment Kits</b> .....	<b>13</b>	<b>Dimensional Diagram</b> .....	<b>33</b>
<b>Jeep Attachment Kits</b> .....	<b>24</b>	<b>Ballast Inquiry Sheet</b> .....	<b>34</b>
<b>Mazda Attachment Kits</b> .....	<b>25</b>	<b>UltraMount® System to UniMount® System</b>	
<b>Nissan Attachment Kits</b> .....	<b>26</b>	<b>Conversion Kit</b> .....	<b>35</b>

ABBREVIATION KEY					
---	No Application	GVWR	Gross Vehicle Weight Rating	SU-2DR	Two Door Sport/Utility Vehicle
4WS	Four Wheel Steering	HD	Heavy Duty	SU-4DR	Four Door Sport/Utility Vehicle
4x2	Two Wheel Drive	HO	High Output	SUB	Suburbanite™ Snowplow
4x4	Four Wheel Drive	HYD	Hydraulic	UHW	UniMount HEAVYWEIGHT Snowplow
A,Q&L	A-Frame, Quadrant & Lift Frame	MIN	Minimum	UTM	UltraMount MIDWEIGHT™ Snowplow
AWD	All Wheel Drive	MVP	MVP® Snowplow	UTMY	UltraMount MIDWEIGHT Poly Snowplow
CG	Center of Gravity	MVPP	MVP PLUS™ Snowplow	UTMVP	UltraMount MVP® Snowplow
Chassis	Chassis Cab or Cab Chassis	n/s	Not Specified	UTMVPP	UltraMount MVP PLUS Snowplow
DIA	Diameter	Non-DRLs	Vehicles without Daytime Running Lights	UTMVPPY	UltraMount Poly MVP PLUS Snowplow
DRLs	Daytime Running Lights (vehicles with)	NTEA	National Truck Equipment Association	UTPS2	UltraMount PRO-PLOW® Series 2 Snowplow
DRW	Dual Rear Wheels	OEM	Original Equipment Manufacturer	UTPP	UltraMount PRO PLUS® Snowplow
Ext Cab	Extended Cab Vehicle	OHC	Overhead Cam	UTPYS2	UltraMount POLY PRO-PLOW Series 2 Snowplow
FFV	Flex Fuel Vehicle	PN	Part Number	UTWO	UltraMount WIDE-OUT™ Snowplow
FGAWR	Front Gross Axle Weight Rating	RGAWR	Rear Gross Axle Weight Rating	w/	With
FMVSS	Federal Motor Vehicle Safety Standards	SL	Selection List	w/o	Without

**⚠ WARNING**

**New untitled vehicle installation of a snowplow requires National Highway Traffic Safety Administration altered vehicle certification labeling. Installer to verify that selected snowplow and ballast, if required, do not exceed GVWR or GAWR rating label and complies with FMVSS.**

**⚠ WARNING**

**Do not exceed GVWR or GAWR, including blade and ballast. The rating label is found on the driver-side vehicle door cornerpost.**

**ABOUT THE SELECTION LIST**

The Selection List (SL) is designed to help you determine the appropriate snowplow components for a particular snowplow vehicle application. The information published in this guide is based on Federal Motor Vehicle Safety Standards (FMVSS) and a "representative" snowplow vehicle as defined in this guide. The vehicle includes a combined weight of 300 lb for occupants in the front seat location.

This SL is for specific model year vehicles only and is listed on the front cover of this guide. This guide should be saved for future reference. New selection guides will be published for the upcoming model year and so on. The instructions on page 4 explain how to use the Selection List.

**The "Representative Vehicle"**

Knowing that today's snowplow vehicles come in a variety of sizes and configurations (such as wheel base, engine size, and handling packages), Western Products has defined a "representative vehicle" that contains the options most likely to appear on a typical snowplow application. The "representative vehicle" includes the following options:

- 4X4 Drivetrain (unless noted)
- Spare Tire & Wheel
- Automatic Transmission
- Rear Bumper
- Air Conditioning
- Full Fluids

**NOTE: If the vehicle in question does not match a vehicle listing in the Selection List, or has options that differ from the "Representative Vehicle" as defined earlier, the ballast inquiry sheet must be filled out and submitted in order to determine snowplow availability and correct ballast amounts to maintain FMVSS compliance. Completed vehicle at no time shall exceed GVWR or GAWR.**

**Snowplow Product**

Snowplows are considered motor vehicle equipment. The installer is ultimately responsible for determining and correctly labeling the vehicle with the addition of snowplow selection. No product selected and installed shall render inoperative the vehicle's safety compliance.

**Product Changes**


All information is as accurate as we can determine but is subject to revision with additional or more complete information. Western Products reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used. Western Products or the vehicle manufacturer may require or recommend optional equipment for snow removal.

**Ballast**

When ballast is required it must be secured behind the rear wheels in a manner which prevents it from sliding during normal driving. Ballast shall not exceed 1000 lb.

Western Products offers an optional ballast retainer kit (62849) for this purpose.

**NOTE: Ballast recommended and its weight**



**calculations assume the entire width of the bed is filled as close to the tailgate as possible.**

# HOW TO USE THE SELECTION LIST

## Selection Example:

### Acme Motors 15000 VX with UltraMount® System

- Go to the section for the appropriate manufacturer.
- Go to the subsection for the desired snowplow:
  - Section 1:** Suburbanite™, HTS™ & MIDWEIGHT™ Blades
  - Section 2:** PRO-PLOW® Series 2, PRO PLUS® & HEAVYWEIGHT Blades
  - Section 3:** MVP PLUS™ & WIDE-OUT™ Blades
- Starting at the left-most column, find the **model** and appropriate configuration for the vehicle. In this case, 4X4, Crew Cab, 5.8 ft box, 6.2L V8 engine, 3950 lb Min. FGAWR.

- Locate the **harness kit** part number for this vehicle: 29400-2. See the Headlamp Reference Guide in the back of the Selection List for more information.
- Locate the **mount** for this vehicle: 31553 for Suburbanite system or 31599 for UltraMount system. Refer to any footnotes concerning conditions or requirements. For this example the UltraMount system is selected and has five footnotes: 1, 3, 8 and 52.
- Locate the acceptable blades at the top of the table. Only those blades with ballast weights listed are valid applications. Three short dashes (---) indicates an invalid application. A question mark (?) indicates a ballast inquiry sheet must be completed.

- For this example, there are three acceptable UltraMount blades. Choose the 7'-6" Steel MIDWEIGHT blade. This blade requires 1000 lb of ballast.
- To order components for a complete snowplow package, read down from the top of the selected blade column for appropriate part numbers. Be sure to select *one* control, either joystick or hand-held. For this example, the part numbers would be:
  - 64340 (blade assembly)
  - 64336 (A, Q & L assembly Box 1)
  - 67992 (A, Q & L assembly Box 2)
  - 64620 (hydraulic kit)
  - 28800-1 (light kit)
  - 56369 or 56462 (control)
  - 29400-2 (harness kit, from Step 4)
  - 31599 (mount, from Step 5 – *must match blade*)

## 2009 Acme Motors

### Section 1 Suburbanite™, HTS™ & MIDWEIGHT™ Blades

Model	Body Style	DRW	Box Option	Engine Type	Min FGAWR	Min RGAWR	Min GVWR	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)				
									Mount Kit	Notes		Mount Kit	Notes	HTS™	MIDWEIGHT™			
15000 RS	4x4	Reg Cab	No	6.5 Box	4.3L V6	3950	3750	6400	HB3/H11 use 29400-2	31553	3,8	---	20	31599	3,52	190	310	300
15000 TU	4x4	Crew Cab	No	5.8 Box	5.3L V8	3950	4200	7300		31553	3,8	---	0	31599	3,52	110	970	910
15000 VX	4x4	Crew Cab	No	5.8 Box	6.2L V8	3950	4200	7300		31553	3,8	---	0	31599	3,52	110	1000	940


  


Suburbanite™		UltraMount®	
6'-8" POLY SUB68	7'-4" POLY SUB74	HTS™	MIDWEIGHT™
Blade Assembly	27546	7'-6" STEEL HTS75	7'-6" STEEL IUTM75
AQ&L Assembly Box 1	27550	69500	64340
AQ&L Assembly Box 2	n/a	69525	64336
Hydraulic Kit	27516-1	n/a	67992
Light Kit	64100	n/a	64620
Choose a Module	29070-1	n/a	28800-1
Choose a Joystick Control or Hand-Held Control	56369	29070-1	
	56462	96800	56369
		96900	56462

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Requires bumper notching.
  - These Snowplows Are For Personal/Homeowner Use Only.
  - Some vehicles may require suspension aids to maintain adequate ground clearance.

# 2009 Chevy/GMC

## Section 1 Suburbanite™, HTS™ & MIDWEIGHT™ Blades

 Suburbanite™	
6'-8" POLY	7'-4" POLY
SUB68 27546	SUB74 27548

 UltraMount™		
HTS™	MIDWEIGHT™	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY
IUTHS76 69500	IUTM75 64340	IUTHY75 64330
69525	64336	
n/a	67992	
n/a	64620	
n/a	28800	
29070-1		
96800	56369	
96900	56462	

Plow  
Blade Assembly  
AQ&L Assembly Box 1  
AQ&L Assembly Box 2  
Hydraulic Kit  
Light Kit  
Choose a Module  
Choose a Joystick Control  
or Hand-Held Control

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)		UltraMount® System		Ballast Guidelines, lbs (1)			
									Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes		
TRAILBLAZER/ENVOY	4x4	SU-4DR	No	---	4.2L I6	2950	3200	5750	HB3/HB4 use 29052	1533-1	8	70	160	n/a	---	---	---	---
AVALANCHE 1500	4x4	SU-4DR	No	---	n/a	n/a	n/a	6100	HB3/H11	31553	3,8	---	?	n/a	---	---	---	---
TAHOE/YUKON 1500	4x4	SU-4DR	No	---	5.3L V8	3600	4100	7300	HB3/H11 use 29400-2 or H13 use 29049	31553	3,8	---	0	31599	3,52,53	---	---	---
TAHOE/YUKON 1500	4x4	SU-4DR	No	---	6.2L V8	3600	4100	7300		31553	3,8	---	0	31599	3,52,53	0	---	---
SUBURBAN/YUKON XL 2500	4x4	SU-4DR	No	---	6.0L V8	4180	5500	8600		n/a	---	---	---	67981-2	48,52,53	---	0	0
COLORADO/CANYON	4x4	Reg Cab	No	6.1 Box	2.9L I4	2753	2896	5150	HB3/HB4 US use 29048 or HB3/HB4 Canada use 29048	31543-1	3,8	0	0	n/a	---	---	---	---
COLORADO/CANYON	4x4	Reg Cab	No	6.1 Box	3.7L I5	2753	2896	5150		31543-1	3,8	0	50	n/a	---	---	---	---
COLORADO/CANYON	4x4	Ext Cab	No	6.1 Box	2.9L I4	2850	2896	5500		31543-1	3,8	0	50	n/a	---	---	---	---
COLORADO/CANYON	4x4	Ext Cab	No	6.1 Box	3.7L I5	2850	2896	5500		31543-1	3,8	120	200	n/a	---	---	---	---
COLORADO/CANYON	4x4	Ext Cab	No	6.1 Box	5.3L V8	2850	2896	5500		31543-1	3,8	400	480	n/a	---	---	---	---
COLORADO/CANYON	4x4	Crew Cab	No	6.1 Box	3.7L I5	2850	2896	5500		31543-1	3,8	280	360	n/a	---	---	---	---
K1500 SILV/SIERRA	4x4	Reg Cab	No	6.5 Box	4.3L V6	3950	3750	6400		31553	3,8	---	20	31599	3,52,53	190	310	300
K1500 SILV/SIERRA	4x4	Reg Cab	No	6.5 Box	4.8L V8	3950	3750	6400		31553	3,8	---	60	31599	3,52,53	220	---	---
K1500 SILV/SIERRA	4x4	Reg Cab	No	6.5 Box	5.3L V8	3950	3750	6400		31553	3,8	---	60	31599	3,52,53	230	---	---
K1500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	4.3L V6	3950	3950	6800		31553	3,8	---	40	31599	3,52,53	200	---	---
K1500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	4.3L V6	3950	3750	6400		31553	3,8	---	40	31599	3,52,53	200	---	---
K1500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	4.8L V8	3950	3950	6800		31553	3,8	---	70	31599	3,52,53	480	---	---
K1500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	4.8L V8	3950	3750	6400		31553	3,8	---	70	31599	3,52,53	---	---	---
K1500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	5.3L V8	3950	3950	6800		31553	3,8	---	80	31599	3,52,53	520	---	---
K1500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	5.3L V8	3950	3750	6400		31553	3,8	---	80	31599	3,52,53	---	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	5.8 Box	4.8L V8	3950	3950	6800		31553	3,8	---	0	31599	3,52,53	150	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	5.8 Box	5.3L V8	3950	3950	6800		31553	3,8	---	0	31599	3,52,53	180	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	5.8 Box	6.0L V8	3950	3950	6800		31553	3,8	---	0	31599	3,52,53	0	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	4.8L V8	3950	4200	7200	HB3/H11 use 29400-2	31553	3,8	---	0	31599	3,52,53	400	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	4.8L V8	3950	3950	7000		31553	3,8	---	0	31599	3,52,53	400	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	5.3L V8	3950	4200	7200		31553	3,8	---	0	31599	3,52,53	430	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	5.3L V8	3950	3950	7000		31553	3,8	---	0	31599	3,52,53	430	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.0L V8	3950	4200	7200		31553	3,8	---	0	31599	3,52,53	190	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.0L V8	3950	3950	7000		31553	3,8	---	0	31599	3,52,53	190	---	---
K1500 SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	5.3L V8	3950	4200	7000		31553	3,8	---	10	31599	3,52,53	---	---	---
K1500 SILV/SIERRA	4x4	Crew Cab	No	5.8 Box	4.8L V8	3950	4200	7300		31553	3,8	---	0	31599	3,52,53	360	---	---
K1500 SILV/SIERRA	4x4	Crew Cab	No	5.8 Box	4.8L V8	3950	4200	7000		31553	3,8	---	0	31599	3,52,53	360	---	---
K1500 SILV/SIERRA	4x4	Crew Cab	No	5.8 Box	5.3L V8	3950	4200	7300		31553	3,8	---	0	31599	3,52,53	110	970	910
K1500 SILV/SIERRA	4x4	Crew Cab	No	5.8 Box	5.3L V8	3950	4200	7000		31553	3,8	---	0	31599	3,52,53	110	---	---
K1500 SILV/SIERRA	4x4	Crew Cab	No	5.8 Box	6.0L V8	3950	4200	7300		31553	3,8	---	0	31599	3,52,53	130	---	990

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Requires bumper notching.
  - These Snowplows Are For Personal/Homeowner Use Only.

- Snowplow prep package required until further notice.
- Some vehicles may require suspension aids to maintain adequate ground clearance.
- This model is equipped with the UltraMount® mount system.

# 2009 Chevy/GMC

## Section 1 Suburbanite™, HTS™ & MIDWEIGHT™ Blades



Suburbanite™

6'-8" POLY	7'-4" POLY
SUB68	SUB74
27546	27548
27550	
n/a	
27516-1	
64100	
29070-1	
56369	
56462	

Plow  
Blade Assembly  
AQ&L Assembly Box 1  
AQ&L Assembly Box 2  
Hydraulic Kit  
Light Kit  
Choose a Module  
Choose a Joystick Control  
or Hand-Held Control



HTS™		MIDWEIGHT™	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY	
IUTHS76	IUTH75	IUTHY75	
69500	64340	64330	
69525		64336	
n/a		67992	
n/a		64620	
n/a		28800	
29070-1			
96800		56369	
96900		56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)			
									Mount Kit	Notes		Mount Kit	Notes				
K1500 SILV/SIERRA	4x4	Crew Cab	No	5.8 Box	6.0L V8	3950	4200	7000	31553	3,8	---	0	31599	3,52,53	130	---	---
K1500 SILV/SIERRA	4x4	Crew Cab	No	5.8 Box	6.2L V8	3950	4200	7300	31553	3,8	---	0	31599	3,52,53	110	1000	940
K1500 SILV/SIERRA	4x4	Crew Cab	No	5.8 Box	6.2L V8	3950	4200	7000	31553	3,8	---	0	31599	3,52,53	110	---	---
K2500HD SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4800	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	250	240
K2500HD SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4500	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	250	240
K2500HD SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.6L D	4860	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	460	420
K2500HD SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.6L D	4800	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	650	610
K2500HD SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.0L V8	4800	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	160	150
K2500HD SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.0L V8	4500	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	160	150
K2500HD SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.6L D	4860	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	510	470
K2500HD SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.6L D	4800	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	830	780
K2500HD SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4800	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	150	150
K2500HD SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4500	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	150	150
K2500HD SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.6L D	4860	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	860	810
K2500HD SILV/SIERRA	4x4	Crew Cab	No	6.5 Box	6.0L V8	4800	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	140	130
K2500HD SILV/SIERRA	4x4	Crew Cab	No	6.5 Box	6.0L V8	4500	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	140	130
K2500HD SILV/SIERRA	4x4	Crew Cab	No	6.5 Box	6.6L D	4860	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	890	840
K2500HD SILV/SIERRA	4x4	Crew Cab	No	8.0 Box	6.0L V8	4800	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	130	120
K2500HD SILV/SIERRA	4x4	Crew Cab	No	8.0 Box	6.0L V8	4500	6084	9200	n/a	---	---	---	67981-2	3,48,52,53	---	160	120
K2500HD SILV/SIERRA	4x4	n/a	No	Chassis	n/a	n/a	n/a	8501	n/a	---	---	---	67981-2	3,48,52,53	---	?	?
K3500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4800	6500	9900	n/a	---	---	---	67981-2	3,48,52,53	---	340	330
K3500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4500	6500	9900	n/a	---	---	---	67981-2	3,48,52,53	---	340	330
K3500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.6L D	4860	6500	9900	n/a	---	---	---	67981-2	3,48,52,53	---	600	560
K3500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.6L D	4800	6500	9900	n/a	---	---	---	67981-2	3,48,52,53	---	870	830
K3500 SILV/SIERRA	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501	n/a	---	---	---	67981-2	3,48,52,53	---	?	?
K3500 SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4800	6500	9900	n/a	---	---	---	67981-2	3,48,52,53	---	230	230
K3500 SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4500	6500	9900	n/a	---	---	---	67981-2	3,48,52,53	---	230	230
K3500 SILV/SIERRA	4x4	Ext Cab	No	Chassis	n/a	n/a	n/a	8501	n/a	---	---	---	67981-2	3,48,52,53	---	?	?
K3500 SILV/SIERRA	4x4	Crew Cab	No	8.0 Box	6.0L V8	4800	6500	9900	n/a	---	---	---	67981-2	3,48,52,53	---	230	220
K3500 SILV/SIERRA	4x4	Crew Cab	No	8.0 Box	6.0L V8	4500	6500	9900	n/a	---	---	---	67981-2	3,48,52,53	---	420	370
K3500 SILV/SIERRA	4x4	Crew Cab	No	Chassis	n/a	n/a	n/a	8501	n/a	---	---	---	67981-2	3,48,52,53	---	?	?
C3500 SILV/SIERRA	4x2	Reg Cab	No	8.0 Box	6.0L V8	4200	6390	9900	n/a	---	---	---	67981-2	48,52,53	---	250	210
C3500 SILV/SIERRA	4x2	Reg Cab	No	Chassis	n/a	n/a	n/a	10001	n/a	---	---	---	67981-2	52,53	---	?	?
C3500 SILV/SIERRA	4x2	Ext Cab	No	8.0 Box	6.0L V8	4200	6390	9900	n/a	---	---	---	67981-2	48,52,53	---	790	740
C3500 SILV/SIERRA	4x2	Ext Cab	No	Chassis	n/a	n/a	n/a	10001	n/a	---	---	---	67981-2	52,53	---	?	?
C3500 SILV/SIERRA	4x2	Crew Cab	No	Chassis	n/a	n/a	n/a	10001	n/a	---	---	---	67981-2	52,53	---	?	?

HB3/H11  
use 29400-2

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Requires bumper notching.
  - These Snowplows Are For Personal/Homeowner Use Only.

- Snowplow prep package required until further notice.
- Some vehicles may require suspension aids to maintain adequate ground clearance.
- This model is equipped with the UltraMount® mount system.

# 2009 Chevy/GMC

## Section 2 PRO-PLOW® Series 2, PRO PLUS® & HEAVYWEIGHT Blades

PRO-PLOW® Series 2					PRO PLUS®				
7'-6" STEEL	7'-6" POLY	8' STEEL	8' POLY	8'-6" STEEL	7'-6" STEEL	8' STEEL	8'-6" STEEL	9' STEEL	
IUTP75S2	IUTPY75S2	IUTP80S2	IUTPY80S2	IUTP85S2	IUTPP75	IUTPP80	IUTPP85	IUTPP90	
Blade Assembly	60381	62400	60390	62450	60308	64750	66980	66974	66901
AQ&L Assembly Box 1	67950				66490				
AQ&L Assembly Box 2	67951-2								
Hydraulic Kit	64588				64999				
Light Kit					28800-1				
Choose a Module					29070-1				
Choose a Joystick Control					56369				
or Hand-Held Control					56462				

HEAVYWEIGHT	
9' STEEL	10' STEEL
IUHW90	IUHW10
62301	62302
62298-1	
62299-1	
64400	
28800-1 & 28340	
29070-1	
56369	
56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)								UniMount® System		Ballast Guidelines, lbs (1)		
									Mount Kit	Notes	360	400	380	410	390	480	500	510	530	Mount Kit	Notes	62301	62302
K2500HD SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4800	6084	9200	67981-2	3,43,48,53	360	400	380	410	390	480	500	510	530	n/a	---	---	---
K2500HD SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4500	6084	9200	67981-2	3,43,48,53	360	470	380	500	430	940	---	---	---	n/a	---	---	---
K2500HD SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.0L V8	4800	6084	9200	67981-2	3,43,48,53	280	320	290	320	310	400	410	430	450	n/a	---	---	---
K2500HD SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.0L V8	4500	6084	9200	67981-2	3,43,48,53	280	510	380	550	470	---	---	---	---	n/a	---	---	---
K2500HD SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4800	6084	9200	67981-2	3,43,48,53	270	310	280	310	300	380	400	410	430	n/a	---	---	---
K2500HD SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4500	6084	9200	67981-2	3,43,48,53	580	880	740	920	840	---	---	---	---	n/a	---	---	---
K2500HD SILV/SIERRA	4x4	Crew Cab	No	6.5 Box	6.0L V8	4800	6084	9200	67981-2	3,43,48,53	260	300	270	300	290	380	390	410	420	n/a	---	---	---
K2500HD SILV/SIERRA	4x4	Crew Cab	No	6.5 Box	6.0L V8	4500	6084	9200	67981-2	3,43,48,53	520	850	620	900	800	---	---	---	---	n/a	---	---	---
K2500HD SILV/SIERRA	4x4	Crew Cab	No	8.0 Box	6.0L V8	4800	6084	9200	67981-2	3,43,48,53	240	280	260	280	270	380	470	560	650	n/a	---	---	---
K2500HD SILV/SIERRA	4x4	n/a	No	Chassis	n/a	n/a	n/a	8501	67981-2	3,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4800	6500	9900	67981-2	3,43,48,53	450	490	470	500	490	570	590	610	620	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4500	6500	9900	67981-2	3,43,48,53	450	600	490	630	570	---	---	---	---	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501	67981-2	3,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Reg Cab	Yes	8.0 Box	6.0L V8	4800	8200	11400	67981-2	3,43,48,53	---	---	---	---	490	---	---	610	620	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Reg Cab	Yes	8.0 Box	6.0L V8	4500	8200	11400	67981-2	3,43,48,53	---	---	---	---	590	---	---	---	---	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Reg Cab	Yes	Chassis	n/a	n/a	n/a	8501	67981-2	3,43,48,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4800	6500	9900	67981-2	3,43,48,53	350	390	360	390	380	460	480	490	540	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4500	6500	9900	67981-2	3,43,48,53	850	---	950	---	---	---	---	---	---	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Ext Cab	No	Chassis	n/a	n/a	n/a	8501	67981-2	3,43,48,53	?/a	?	?	?	?	?	?	?	?	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Ext Cab	Yes	8.0 Box	6.0L V8	4800	8200	11400	67981-2	3,43,48,53	---	---	---	---	380	---	---	490	540	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Ext Cab	Yes	Chassis	n/a	n/a	n/a	8501	67981-2	3,43,48,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Crew Cab	No	8.0 Box	6.0L V8	4800	6500	9900	67981-2	3,43,48,53	340	380	360	390	370	630	800	900	1000	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Crew Cab	No	Chassis	n/a	n/a	n/a	8501	67981-2	3,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Crew Cab	Yes	8.0 Box	6.0L V8	4800	8200	11400	67981-2	3,43,48,53	---	---	---	---	370	---	---	900	1000	n/a	---	---	---
K3500 SILV/SIERRA	4x4	Crew Cab	Yes	Chassis	n/a	n/a	n/a	8501	67981-2	3,43,48,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
C3500 SILV/SIERRA	4x2	Reg Cab	No	8.0 Box	6.0L V8	4200	6390	9900	67981-2	43,48,53	940	---	---	---	---	---	---	---	---	n/a	---	---	---
C3500 SILV/SIERRA	4x2	Reg Cab	No	Chassis	n/a	n/a	n/a	10001	67981-2	43,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---
C3500 SILV/SIERRA	4x2	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10001	67981-2	43,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
C3500 SILV/SIERRA	4x2	Ext Cab	No	Chassis	n/a	n/a	n/a	10001	67981-2	43,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---
C3500 SILV/SIERRA	4x2	Ext Cab	Yes	Chassis	n/a	n/a	n/a	10001	67981-2	43,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
C3500 SILV/SIERRA	4x2	Ext Cab	Yes	Chassis	n/a	n/a	n/a	10001	67981-2	43,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
C3500 SILV/SIERRA	4x2	Crew Cab	No	Chassis	n/a	n/a	n/a	10001	67981-2	43,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---
C3500 SILV/SIERRA	4x2	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10001	67981-2	43,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
C4500	4x4	n/a	Yes	Chassis	n/a	n/a	n/a	10001	33559	2,43,53	---	---	---	---	---	---	?	?	?	62275	---	?	?
C4500	4x2	n/a	Yes	Chassis	n/a	n/a	n/a	10001	64110	2,43,53	---	---	---	---	---	---	?	?	?	62275	---	?	?
C5500	4x4	n/a	Yes	Chassis	n/a	n/a	n/a	10001	33559	2,43,53	---	---	---	---	---	---	?	?	?	62275	---	?	?
C5500	4x2	n/a	Yes	Chassis	n/a	n/a	n/a	10001	64110	2,43,53	---	---	---	---	---	---	?	?	?	62275	---	?	?

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Recommended snowplow prep package whenever available.
  - Requires bumper notching.

- This model is scheduled for phase-out. Please check with your sales outlet for availability.
- Snowplow prep package required until further notice.
- This model is equipped with the UltraMount® mount system.

# 2009 Chevy/GMC

## Section 3 MVP PLUS™ & WIDE-OUT™ Blades

UltraMount™						
MVP PLUS™						WIDE-OUT™
7'-6" STEEL	7'-6" POLY	8'-6" STEEL	8'-6" POLY	9'-6" STEEL	9'-6" POLY	8'-10" STEEL
IUTHVPP75	IUTHVPP75	IUTHVPP85	IUTHVPP85	IUTHVPP95	IUTHVPP95	IUTW0810
Blade Assembly	44475-1	44575-1	44485-1	44495-1	44595-1	51810
AQ&L Assembly Box 1	44225-1					
AQ&L Assembly Box 2	n/a					
Hydraulic Kit	n/a					
Light Kit	n/a					
Choose a Module	29070-1					
Choose a Joystick Control	96400					
or Hand-Held Control	96500					

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)						
									Mount Kit	Notes							
K2500HD SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4800	6084	9200	67981-2	3,48,53	460	440	510	480	630	560	630
K2500HD SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4500	6084	9200	67981-2	3,48,53	960	830	---	---	---	---	---
K2500HD SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.0L V8	4800	6084	9200	67981-2	3,48,53	380	360	420	400	770	480	750
K2500HD SILV/SIERRA	4x4	Ext Cab	No	6.5 Box	6.0L V8	4500	6084	9200	67981-2	3,48,53	---	950	---	---	---	---	---
K2500HD SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4800	6084	9200	67981-2	3,48,53	370	350	410	380	---	810	1000
K2500HD SILV/SIERRA	4x4	Crew Cab	No	6.5 Box	6.0L V8	4800	6084	9200	67981-2	3,48,53	360	340	400	380	---	780	1000
K2500HD SILV/SIERRA	4x4	Crew Cab	No	8.0 Box	6.0L V8	4800	6084	9200	67981-2	3,48,53	430	320	780	530	---	---	---
K2500HD SILV/SIERRA	4x4	n/a	No	Chassis	n/a	n/a	n/a	8501	67981-2	3,48,53	?	?	?	?	?	?	?
K3500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4800	6500	9900	67981-2	3,48,53	560	530	600	570	840	650	830
K3500 SILV/SIERRA	4x4	Reg Cab	No	8.0 Box	6.0L V8	4500	6500	9900	67981-2	3,48,53	---	970	---	---	---	---	---
K3500 SILV/SIERRA	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501	67981-2	3,48,53	?	?	?	?	?	?	?
K3500 SILV/SIERRA	4x4	Reg Cab	Yes	8.0 Box	6.0L V8	4800	8200	11400	67981-2	3,48,53	---	---	600	570	870	650	860
K3500 SILV/SIERRA	4x4	Reg Cab	Yes	Chassis	n/a	n/a	n/a	8501	67981-2	3,48,53	---	---	?	?	?	?	?
K3500 SILV/SIERRA	4x4	Ext Cab	No	8.0 Box	6.0L V8	4800	6500	9900	67981-2	3,48,53	450	430	580	460	---	---	---
K3500 SILV/SIERRA	4x4	Ext Cab	No	Chassis	n/a	n/a	n/a	8501	67981-2	3,48,53	?	?	?	?	?	?	?
K3500 SILV/SIERRA	4x4	Ext Cab	Yes	8.0 Box	6.0L V8	4800	8200	11400	67981-2	3,48,53	---	---	580	460	---	---	---
K3500 SILV/SIERRA	4x4	Ext Cab	Yes	Chassis	n/a	n/a	n/a	8501	67981-2	3,48,53	---	---	?	?	?	?	?
K3500 SILV/SIERRA	4x4	Crew Cab	No	8.0 Box	6.0L V8	4800	6500	9900	67981-2	3,48,53	750	540	---	870	---	---	---
K3500 SILV/SIERRA	4x4	Crew Cab	No	Chassis	n/a	n/a	n/a	8501	67981-2	3,48,53	?	?	?	?	?	?	?
K3500 SILV/SIERRA	4x4	Crew Cab	Yes	8.0 Box	6.0L V8	4800	8200	11400	67981-2	3,48,53	---	---	---	870	---	---	---
K3500 SILV/SIERRA	4x4	Crew Cab	Yes	Chassis	n/a	n/a	n/a	8501	67981-2	3,48,53	---	---	?	?	?	?	?
C3500 SILV/SIERRA	4x2	Reg Cab	No	Chassis	n/a	n/a	n/a	10001	67981-2	53	?	?	?	?	?	?	?
C3500 SILV/SIERRA	4x2	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10001	67981-2	53	---	---	?	?	?	?	?
C3500 SILV/SIERRA	4x2	Ext Cab	No	Chassis	n/a	n/a	n/a	10001	67981-2	53	?	?	?	?	?	?	?
C3500 SILV/SIERRA	4x2	Ext Cab	Yes	Chassis	n/a	n/a	n/a	10001	67981-2	53	---	---	?	?	?	?	?
C3500 SILV/SIERRA	4x2	Crew Cab	No	Chassis	n/a	n/a	n/a	10001	67981-2	53	?	?	?	?	?	?	?
C3500 SILV/SIERRA	4x2	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10001	67981-2	53	---	---	?	?	?	?	?
C4500	4x4	n/a	Yes	Chassis	n/a	n/a	n/a	10001	2B use 29053 or 1A/2A use 29053	33559	2,53	---	---	?	?	?	?
C4500	4x2	n/a	Yes	Chassis	n/a	n/a	n/a	10001		64110	2,53	---	---	?	?	?	?
C5500	4x4	n/a	Yes	Chassis	n/a	n/a	n/a	10001		33559	2,53	---	---	?	?	?	?
C5500	4x2	n/a	Yes	Chassis	n/a	n/a	n/a	10001		64110	2,53	---	---	?	?	?	?


- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Recommended snowplow prep package whenever available.
  - Requires bumper notching.


- Snowplow prep package required until further notice.
- This model is equipped with the UltraMount® mount system.



# 2009 Dodge

## Section 1 Suburbanite™, HTS™ & MIDWEIGHT™ Blades

 Suburbanite™	
6'-8" POLY	7'-4" POLY
SUB68	SUB74
27546	27548
Plow Blade Assembly	
AQ&L Assembly Box 1	
27550	
AQ&L Assembly Box 2	
n/a	
Hydraulic Kit	
27516-1	
Light Kit	
64100	
Choose a Module	
29070-1	
Choose a Joystick Control or Hand-Held Control	
56369	
56462	

 UltraMount®		
HTS™	MIDWEIGHT™	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY
IUTHS76	IUM75	IUTHY75
69500	64340	64330
69525	64336	
n/a	67992	
n/a	64620	
n/a	28800	
29070-1		
96800	56369	
96900	56462	


Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)				
									Mount Kit	Notes		Mount Kit	Notes					
DAKOTA ST	4x4	Club Cab	No	6.5 Box	3.7L V6	3600	3600	6010	H13 use 29049	33903	8	---	30	33929	3,52,53	160	270	260
DAKOTA ST	4x4	Club Cab	No	6.5 Box	4.7L V8	3600	3600	6010		33903	8	---	0	33929	3,52,53	110	410	370
DAKOTA ST	4x4	Club Cab	No	6.5 Box	4.7L V8 FFV	3600	3600	6010		33903	8	---	0	33929	3,52,53	110	410	370
DAKOTA ST	4x4	Quad Cab	No	5.5 Box	3.7L V6	3600	3600	6010		33903	8	---	0	33929	3,52,53	90	190	190
DAKOTA ST	4x4	Quad Cab	No	5.5 Box	4.7L V8	3600	3600	6010		33903	8	---	0	33929	3,52,53	60	---	340
DAKOTA SLT	4x4	Club Cab	No	6.5 Box	3.7L V6	3600	3600	6010		33903	8	---	30	33929	3,52,53	160	270	260
DAKOTA SLT	4x4	Club Cab	No	6.5 Box	4.7L V8	3600	3600	6010		33903	8	---	0	33929	3,52,53	130	430	390
DAKOTA SLT	4x4	Club Cab	No	6.5 Box	4.7L V8 FFV	3600	3600	6010		33903	8	---	0	33929	3,52,53	130	430	390
DAKOTA SLT	4x4	Club Cab	No	6.5 Box	4.7L V8 HO	3600	3600	6010		33903	8	---	0	33929	3,52,53	130	430	390
DAKOTA SLT	4x4	Quad Cab	No	5.5 Box	3.7L V6	3600	3600	6010		33903	8	---	0	33929	3,52,53	100	200	200
DAKOTA SLT	4x4	Quad Cab	No	5.5 Box	4.7L V8	3600	3600	6010		33903	8	---	0	33929	3,52,53	70	360	320
DAKOTA SLT	4x4	Quad Cab	No	5.5 Box	4.7L V8 FFV	3600	3600	6010		33903	8	---	0	33929	3,52,53	70	360	320
DAKOTA SLT	4x4	Quad Cab	No	5.5 Box	4.7L V8 HO	3600	3600	6010		33903	8	---	0	33929	3,52,53	70	360	320
DAKOTA LARAMIE	4x4	Club Cab	No	6.5 Box	3.7L V6	3600	3600	6010		33903	8	---	70	33929	3,52,53	200	390	350
DAKOTA LARAMIE	4x4	Club Cab	No	6.5 Box	4.7L V8	3600	3600	6010		33903	8	---	30	33929	3,52,53	150	---	---
DAKOTA LARAMIE	4x4	Quad Cab	No	5.5 Box	3.7L V6	3600	3600	6010		33903	8	---	0	33929	3,52,53	100	310	280
DAKOTA LARAMIE	4x4	Quad Cab	No	5.5 Box	4.7L V8	3600	3600	6010		33903	8	---	0	33929	3,52,53	50	---	---
RAM 1500 ST	4x4	Reg Cab	No	6.5 Box	4.7L V8	3900	3900	6350		33923	3,8	---	30	33949	3,52,53	150	270	260
RAM 1500 ST	4x4	Reg Cab	No	6.5 Box	5.7L V8	3900	3900	6350		33923	3,8	---	40	33949	3,52,53	160	280	270
RAM 1500 ST	4x4	Reg Cab	No	8.0 Box	4.7L V8	3900	3900	6600		33923	3,8	---	70	33949	3,52,53	190	300	300
RAM 1500 ST	4x4	Reg Cab	No	8.0 Box	5.7L V8	3900	3900	6600		33923	3,8	---	70	33949	3,52,53	180	300	290
RAM 1500 ST	4x4	Quad Cab	No	6.5 Box	4.7L V8	3900	3900	6700		33923	3,8	---	20	33949	3,52,53	130	350	290
RAM 1500 ST	4x4	Quad Cab	No	6.5 Box	5.7L V8	3900	3900	6700		33923	3,8	---	20	33949	3,52,53	140	510	460
RAM 1500 ST	4x4	Crew Cab	No	5.5 Box	4.7L V8	3900	3900	6800		33923	3,8	---	0	33949	3,52,53	100	520	460
RAM 1500 ST	4x4	Crew Cab	No	5.5 Box	5.7L V8	3900	3900	6800		33923	3,8	---	0	33949	3,52,53	110	---	---
RAM 1500 SLT	4x4	Quad Cab	No	6.5 Box	4.7L V8	3900	3900	6700		33923	3,8	---	20	33949	3,52,53	140	---	530
RAM 1500 SLT	4x4	Quad Cab	No	6.5 Box	5.7L V8	3900	3900	6700		33923	3,8	---	30	33949	3,52,53	150	---	---
RAM 1500 SLT	4x4	Crew Cab	No	5.5 Box	4.7L V8	3900	3900	6800	H13 use 29049 & 28027-2	33923	3,8	---	0	33949	3,52,53	100	540	490
RAM 1500 SLT	4x4	Crew Cab	No	5.5 Box	5.7L V8	3900	3900	6800		33923	3,8	---	0	33949	3,52,53	110	---	---
RAM 1500 SLT / TRX	4x4	Reg Cab	No	6.5 Box	4.7L V8	3900	3900	6350		33923	3,8	---	40	33949	3,52,53	150	280	270
RAM 1500 SLT / TRX	4x4	Reg Cab	No	6.5 Box	5.7L V8	3900	3900	6350		33923	3,8	---	50	33949	3,52,53	160	290	280
RAM 1500 SLT / TRX	4x4	Reg Cab	No	8.0 Box	4.7L V8	3900	3900	6600		33923	3,8	---	80	33949	3,52,53	200	310	310
RAM 1500 SLT / TRX	4x4	Reg Cab	No	8.0 Box	5.7L V8	3900	3900	6600		33923	3,8	---	80	33949	3,52,53	190	310	300
RAM 1500 LARAMIE	4x4	Quad Cab	No	6.5 Box	5.7L V8	3900	3900	6700		33923	3,8	---	0	33949	3,52,53	80	200	190
RAM 1500 LARAMIE	4x4	Crew Cab	No	5.5 Box	5.7L V8	3900	3900	6800		33923	3,8	---	0	33949	3,52,53	330	---	---


- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Requires bumper notching.
  - Some vehicles may require suspension aids to maintain adequate ground clearance.

53. This model is equipped with the UltraMount® mount system.

# 2009 Dodge

## Section 1 Suburbanite™, HTS™ & MIDWEIGHT™ Blades

 Suburbanite™	
6'-8" POLY	7'-4" POLY
SUB68 27546	SUB74 27548
Plow Blade Assembly A&L Assembly Box 1 A&L Assembly Box 2 Hydraulic Kit Light Kit Choose a Module Choose a Joystick Control or Hand-Held Control	
27550	
n/a	
27516-1	
64100	
29070-1	
56369	
56462	

 UltraMount®		
HTS™	MIDWEIGHT™	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY
IUTHS76	IUM75	IUMY75
69500	64340	64330
69525	64336	
n/a	67992	
n/a	64620	
n/a	28800	
29070-1		
96800	56369	
96900	56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)		
									Mount Kit	Notes		Mount Kit	Notes			
RAM 2500 ST	4x4	Reg Cab	No	8.0 Box	5.7L V8	5200	6000	8650	n/a	---	---	63883-2	2,3,52,53	---	190	180
RAM 2500 ST	4x4	Reg Cab	No	8.0 Box	6.7L D	5200	6000	9000	n/a	---	---	63883-2	2,3,52,53	---	470	470
RAM 2500 ST	4x4	Quad Cab	No	6.5 Box	5.7L V8	5200	6000	8650	n/a	---	---	63883-2	2,3,52,53	---	120	110
RAM 2500 ST	4x4	Quad Cab	No	6.5 Box	6.7L D	5200	6000	9000	n/a	---	---	63883-2	2,3,52,53	---	390	390
RAM 2500 ST	4x4	Quad Cab	No	8.0 Box	5.7L V8	5200	6000	8800	n/a	---	---	63883-2	2,3,52,53	---	160	150
RAM 2500 ST	4x4	Quad Cab	No	8.0 Box	6.7L D	5200	6000	9000	n/a	---	---	63883-2	2,3,52,53	---	910	860
RAM 2500 SLT	4x4	Reg Cab	No	8.0 Box	5.7L V8	5200	6010	8650	n/a	---	---	63883-2	2,3,52,53	---	200	190
RAM 2500 SLT	4x4	Reg Cab	No	8.0 Box	6.7L D	5200	6010	9000	n/a	---	---	63883-2	2,3,52,53	---	510	500
RAM 2500 SLT	4x4	Quad Cab	No	6.5 Box	5.7L V8	5200	6010	8650	n/a	---	---	63883-2	2,3,52,53	---	130	120
RAM 2500 SLT	4x4	Quad Cab	No	6.5 Box	6.7L D	5200	6010	9000	n/a	---	---	63883-2	2,3,52,53	---	410	410
RAM 2500 SLT	4x4	Quad Cab	No	8.0 Box	5.7L V8	5200	6010	8800	n/a	---	---	63883-2	2,3,52,53	---	180	170
RAM 2500 SLT	4x4	Quad Cab	No	8.0 Box	6.7L D	5200	6010	9000	n/a	---	---	63883-2	2,3,52,53	---	---	980
RAM 2500 SLT	4x4	Mega Cab	No	6.5 Box	5.7L V8	5200	6010	8800	n/a	---	---	63883-2	2,3,52,53	---	40	30
RAM 2500 LARAMIE	4x4	Quad Cab	No	6.5 Box	5.7L V8	5200	6010	8800	n/a	---	---	63883-2	2,3,52,53	---	100	90
RAM 2500 LARAMIE	4x4	Quad Cab	No	6.5 Box	6.7L D	5200	6010	9000	n/a	---	---	63883-2	2,3,52,53	---	520	480
RAM 2500 LARAMIE	4x4	Quad Cab	No	8.0 Box	5.7L V8	5200	6010	8800	n/a	---	---	63883-2	2,3,52,53	---	150	140
RAM 2500 LARAMIE	4x4	Mega Cab	No	6.5 Box	5.7L V8	5200	6010	8800	n/a	---	---	63883-2	2,3,52,53	---	30	30
RAM 3500	4x4	n/a	No	n/a	n/a	n/a	n/a	8501	n/a	---	---	63883-2	2,3,52,53	---	?	?
RAM 3500 LARAMIE	4x4	Quad Cab	No	6.5 Box	6.7L D	5200	6200	10100	n/a	---	---	63883-2	2,3,52,53	---	480	430
RAM 3500 Chassis	4x4	n/a	No	n/a	n/a	n/a	n/a	8501	n/a	---	---	63883-2	2,3,52,53	---	?	?
RAM 3500 ST	4x4	Quad Cab	No	6.5 Box	6.7L D	5200	6200	10100	n/a	---	---	63883-2	2,3,52,53	---	340	330
RAM 3500 ST	4x4	Quad Cab	No	8.0 Box	6.7L D	5200	6200	10100	n/a	---	---	63883-2	2,3,52,53	---	590	540
RAM 3500 SLT	4x4	Quad Cab	No	6.5 Box	6.7L D	5200	6200	10100	n/a	---	---	63883-2	2,3,52,53	---	370	360
RAM 3500 SLT	4x4	Quad Cab	No	8.0 Box	6.7L D	5200	6200	10100	n/a	---	---	63883-2	2,3,52,53	---	580	530
RAM 3500 SLT	4x4	Mega Cab	No	6.5 Box	6.7L D	5200	6200	10100	n/a	---	---	63883-2	2,3,52,53	---	870	810

- Notes:**
1. Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  2. Recommended snowplow prep package whenever available.
  3. Requires bumper notching.

52. Some vehicles may require suspension aids to maintain adequate ground clearance.
53. This model is equipped with the UltraMount® mount system.

# 2009 Dodge/Sterling

## Section 2

### PRO-PLOW® Series 2, PRO PLUS® & HEAVYWEIGHT Blades

UltraMount®								
PRO-PLOW® Series 2					PRO PLUS®			
7'-6" STEEL	7'-6" POLY	8' STEEL	8' POLY	8'-6" STEEL	7'-6" STEEL	8' STEEL	8'-6" STEEL	9' STEEL
IUTP75S2	IUTPY75S2	IUTP80S2	IUTPY80S2	IUTP85S2	IUTPP75	IUTPP80	IUTPP85	IUTPP90
60381	62400	60390	62450	60308	64750	66980	66974	66901
67950					66490			
67951-2					64999			
64588					28800-1			
64588					29070-1			
64588					56369			
64588					56462			

UniMount®	
HEAVYWEIGHT	
9' STEEL	10' STEEL
IUHW90	IUHW10
62301	62302
62298-1	
62299-1	
64400	
28800-1 & 28340	
29070-1	
56369	
56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)								UniMount® System		Ballast Guidelines, lbs (1)					
									Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes								
RAM 2500 ST	4x4	Reg Cab	No	8.0 Box	5.7L V8	5200	6000	8650	H13 use 29049	63883-2	2,3,43,53	320	360	330	360	350	440	460	470	490	n/a	---	---	---		
RAM 2500 ST	4x4	Reg Cab	No	8.0 Box	6.7L D	5200	6000	9000		63883-2	2,3,43,53	770	---	---	880	---	980	---	---	---	---	n/a	---	---	---	
RAM 2500 ST	4x4	Quad Cab	No	6.5 Box	5.7L V8	5200	6000	8650		63883-2	2,3,43,53	240	280	260	290	270	370	380	400	420	420	n/a	---	---	---	---
RAM 2500 ST	4x4	Quad Cab	No	8.0 Box	5.7L V8	5200	6000	8800		63883-2	2,3,43,53	280	320	300	330	310	400	420	430	450	450	n/a	---	---	---	---
RAM 2500 SLT	4x4	Reg Cab	No	8.0 Box	5.7L V8	5200	6010	8650		63883-2	2,3,43,53	320	370	340	370	360	450	470	480	500	500	n/a	---	---	---	---
RAM 2500 SLT	4x4	Reg Cab	No	8.0 Box	6.7L D	5200	6010	9000		63883-2	2,3,43,53	940	---	---	---	---	---	---	---	---	---	n/a	---	---	---	---
RAM 2500 SLT	4x4	Quad Cab	No	6.5 Box	5.7L V8	5200	6010	8650		63883-2	2,3,43,53	260	300	280	310	290	380	400	420	430	430	n/a	---	---	---	---
RAM 2500 SLT	4x4	Quad Cab	No	8.0 Box	5.7L V8	5200	6010	8800		63883-2	2,3,43,53	300	340	320	350	330	420	440	450	470	470	n/a	---	---	---	---
RAM 2500 SLT	4x4	Mega Cab	No	6.5 Box	5.7L V8	5200	6010	8800		63883-2	2,3,43,53	160	200	180	210	190	280	300	310	330	330	n/a	---	---	---	---
RAM 2500 LARAMIE	4x4	Quad Cab	No	6.5 Box	5.7L V8	5200	6010	8800		63883-2	2,3,43,53	220	270	240	270	260	350	370	380	400	400	n/a	---	---	---	---
RAM 2500 LARAMIE	4x4	Quad Cab	No	8.0 Box	5.7L V8	5200	6010	8800		63883-2	2,3,43,53	270	310	290	320	300	390	410	420	440	440	n/a	---	---	---	---
RAM 2500 LARAMIE	4x4	Mega Cab	No	6.5 Box	5.7L V8	5200	6010	8800		63883-2	2,3,43,53	160	200	170	200	190	280	290	310	320	320	n/a	---	---	---	---
RAM 3500	4x4	n/a	No	n/a	n/a	n/a	n/a	8501		63883-2	2,3,43,53	?	?	?	?	?	?	?	?	?	?	n/a	---	---	---	---
RAM 3500 Chassis	4x4	n/a	No	n/a	n/a	n/a	n/a	8501		63883-2	2,3,43,53	?	?	?	?	?	?	?	?	?	?	n/a	---	---	---	---
RAM 3500 Chassis	4x4	n/a	Yes	n/a	n/a	n/a	n/a	8501		63883-2	2,3,43,53	---	---	---	---	?	---	---	?	?	?	n/a	---	---	---	---
RAM 3500 ST	4x4	Quad Cab	No	6.5 Box	6.7L D	5200	6200	10100		63883-2	2,3,43,53	800	---	910	---	---	---	---	---	---	---	n/a	---	---	---	---
RAM 4500	4x4	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,43,53	---	---	---	---	---	---	---	?	?	?	n/a	---	---	---	---
RAM 4500	4x2	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,43,53	---	---	---	---	---	---	---	?	?	?	n/a	---	---	---	---
RAM 5500	4x4	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,43,53	---	---	n/a	---	---	---	---	?	?	?	n/a	---	---	---	---
BULLET 45	4x4	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,43,53	---	---	---	---	---	---	---	?	?	?	n/a	---	---	---	---
BULLET 45	4x2	n/a	Yes	n/a	n/a	n/a	n/a	10000	33939	2,3,10,43,53	---	---	---	---	---	---	---	?	?	?	n/a	---	---	---	---	
BULLET 55	4x4	n/a	Yes	n/a	n/a	n/a	n/a	10000	33939	2,3,10,43,53	---	---	---	---	---	---	---	?	?	?	n/a	---	---	---	---	
BULLET 55	4x2	n/a	Yes	n/a	n/a	n/a	n/a	10000	33939	2,3,10,43,53	---	---	---	---	---	---	---	?	?	?	n/a	---	---	---	---	

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Recommended snowplow prep package whenever available.
  - Requires bumper notching.

- May require bumper or air dam notching.
- This model is scheduled for phase-out. Please check with your sales outlet for availability.
- This model is equipped with the UltraMount® mount system.

# 2009 Dodge/Sterling

## Section 3 MVP PLUS™ & WIDE-OUT™ Blades

UltraMount™							
MVP PLUS™						WIDE-OUT™	
7'-6" STEEL	7'-6" POLY	8'-6" STEEL	8'-6" POLY	9'-6" STEEL	9'-6" POLY	8'-10" STEEL	
Plow	IUTHVPP75	IUTHVPPY75	IUTHVPP85	IUTHVPPY85	IUTHVPP95	IUTHVPPY95	IUTW0810
Blade Assembly	44475-1	44575-1	44485-1	44585-1	44495-1	44595-1	51810
AQ&L Assembly Box 1	44225-1						51225
AQ&L Assembly Box 2	n/a						
Hydraulic Kit	n/a						
Light Kit	n/a						
Choose a Module	29070-1						
Choose a Joystick Control	96400						
or Hand-Held Control	96500						


Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)							
									Mount Kit	Notes								
RAM 2500 ST	4x4	Reg Cab	No	8.0 Box	5.7L V8	5200	6000	8650	H13 use 29049	63883-2	2,3,5,53	430	400	470	440	570	530	590
RAM 2500 ST	4x4	Quad Cab	No	6.5 Box	5.7L V8	5200	6000	8650		63883-2	2,3,5,53	350	330	400	370	490	450	520
RAM 2500 ST	4x4	Quad Cab	No	8.0 Box	5.7L V8	5200	6000	8800		63883-2	2,3,5,53	390	370	430	400	520	490	540
RAM 2500 SLT	4x4	Reg Cab	No	8.0 Box	5.7L V8	5200	6010	8650		63883-2	2,3,5,53	430	410	480	450	570	540	600
RAM 2500 SLT	4x4	Quad Cab	No	6.5 Box	5.7L V8	5200	6010	8650		63883-2	2,3,5,53	370	340	410	380	510	470	530
RAM 2500 SLT	4x4	Quad Cab	No	8.0 Box	5.7L V8	5200	6010	8800		63883-2	2,3,5,53	410	390	450	420	540	510	570
RAM 2500 SLT	4x4	Mega Cab	No	6.5 Box	5.7L V8	5200	6010	8800		63883-2	2,3,5,53	270	250	310	290	410	370	430
RAM 2500 LARAMIE	4x4	Quad Cab	No	6.5 Box	5.7L V8	5200	6010	8800		63883-2	2,3,5,53	330	310	380	350	470	440	500
RAM 2500 LARAMIE	4x4	Quad Cab	No	8.0 Box	5.7L V8	5200	6010	8800		63883-2	2,3,5,53	380	350	420	390	510	480	530
RAM 2500 LARAMIE	4x4	Mega Cab	No	6.5 Box	5.7L V8	5200	6010	8800		63883-2	2,3,5,53	260	240	310	280	400	360	420
RAM 3500	4x4	n/a	No	n/a	n/a	n/a	n/a	8501		63883-2	2,3,5,53	?	?	?	?	?	?	?
RAM 3500 Chassis	4x4	n/a	No	n/a	n/a	n/a	n/a	8501		63883-2	2,3,5,53	?	?	?	?	?	?	?
RAM 3500 Chassis	4x4	n/a	Yes	n/a	n/a	n/a	n/a	8501		63883-2	2,3,5,53	---	---	?	?	?	?	?
RAM 4500	4x4	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,53	---	---	?	?	?	?	?
RAM 4500	4x2	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,53	---	---	?	?	?	?	?
RAM 5500	4x4	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,53	---	---	?	?	?	?	?
BULLET 45	4x4	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,53	---	---	?	?	?	?	?
BULLET 45	4x2	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,53	---	---	?	?	?	?	?
BULLET 55	4x4	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,53	---	---	?	?	?	?	?
BULLET 55	4x2	n/a	Yes	n/a	n/a	n/a	n/a	10000		33939	2,3,10,53	---	---	?	?	?	?	?


- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Recommended snowplow prep package whenever available.
  - Requires bumper notching.

- Classic Style Only (2nd # in model # is 0 not 5) example: K10903. Refer to label in glove box for model number.
- May require bumper or air dam notching.
- This model is equipped with the UltraMount® mount system.

# 2009 Ford

## Section 1 Suburbanite™, HTS™ & MIDWEIGHT™ Blades

	
<b>Suburbanite™</b>	
6'-8" POLY	7'-4" POLY
SUB68	SUB74
Plow Blade Assembly	
AQ&L Assembly Box 1	
27546	
27548	
27550	
n/a	
AQ&L Assembly Box 2	
Hydraulic Kit	
27516-1	
Light Kit	
64100	
Choose a Module	
29070-1	
Choose a Joystick Control or Hand-Held Control	
56369	
56462	

			
<b>HTS™</b>		<b>MIDWEIGHT™</b>	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY	
IUTHS76	IUTM75	IUTMY75	
69500	64340	64330	
69525		64336	
n/a		67992	
n/a		64620	
n/a		28800	
29070-1			
96800		56369	
96900		56462	


Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)				
									Mount Kit	Notes		Mount Kit	Notes					
EXPLORER SPORT TRAC	4x4	---	No	4.0 Box	4.6L V8	3140	3340	6193	H13 use 29049	31243	8	640	---	n/a	---	---	---	
RANGER	4x4	Super Cab	No	6.0 Box	4.0L V6	2850	2750	5140	HB5 use 29050	1203	8	60	70	n/a	---	---	---	
RANGER	4x4	Super Cab	No	6.0 Box	4.0L V6	2850	2750	5140		1203	8	60	70	n/a	---	---	---	
RANGER	4x4	Super Cab	No	6.0 Box	4.0L V6	2710	2600	5140	H13 use 29049	1203	8	320	420	n/a	---	---	---	
F150	4x4	Reg Cab	No	6.5 Box	4.6L V8	3450	3550	6750		31253	8	---	150	68600	3,52,53	950	---	---
F150	4x4	Reg Cab	No	6.5 Box	4.6L V8	3450	3500	6650	H13 use 29049	31253	8	---	30	68600	3,52,53	820	---	---
F150	4x4	Reg Cab	No	6.5 Box	5.4L V8	3600	3500	6800		31253	8	---	0	68600	3,52,53	580	---	---
F150	4x4	Reg Cab	No	8.0 Box	4.6L V8	3750	3800	7050	H13 use 29049	31253	8	---	60	68600	3,52,53	370	---	---
F150	4x4	Reg Cab	No	8.0 Box	4.6L V8	3600	3800	6950		31253	8	---	50	68600	3,52,53	850	---	---
F150	4x4	Reg Cab	No	8.0 Box	5.4L V8	4300	3850	8200	H13 use 29049	31253	8	---	10	68600	3,52,53	130	240	230
F150	4x4	Reg Cab	No	8.0 Box	5.4L V8	4300	3850	7200		31253	8	---	60	68600	3,52,53	190	290	290
F150	4x4	Reg Cab	No	8.0 Box	5.4L V8	3750	3850	7200	H13 use 29049	31253	8	---	60	68600	3,52,53	580	---	---
F150	4x4	Super Cab	No	5.5 Box	4.6L V8	3600	3500	6700		31253	8	---	0	68600	3,52,53	600	---	---
F150	4x4	Super Cab	No	5.5 Box	5.4L V8	3900	3500	6950	H13 use 29049	31253	8	---	0	68600	3,52,53	100	---	---
F150	4x4	Super Cab	No	6.5 Box	4.6L V8	3900	3800	6950		31253	8	---	0	68600	3,52,53	120	---	---
F150	4x4	Super Cab	No	6.5 Box	4.6L V8	3750	3800	6850	H13 use 29049	31253	8	---	0	68600	3,52,53	560	---	---
F150	4x4	Super Cab	No	6.5 Box	5.4L V8	4050	3850	7200		31253	8	---	0	68600	3,52,53	110	470	420
F150	4x4	Super Cab	No	8.0 Box	5.4L V8	4300	4800	8200	H13 use 29049	31253	8	---	0	68600	3,52,53	20	130	120
F150	4x4	Super Cab	No	8.0 Box	5.4L V8	4050	4800	8200		31253	8	---	0	68600	3,52,53	20	270	220
F150	4x4	SuperCrew	No	5.5 Box	4.6L V8	3750	3800	6950	H13 use 29049	31253	8	---	0	68600	3,52,53	600	---	---
F150	4x4	SuperCrew	No	5.5 Box	5.4L V8	3900	3850	7200		31253	8	---	0	68600	3,52,53	300	---	---
F150	4x4	SuperCrew	No	5.5 Box	5.4L V8	3750	3800	7200	H13 use 29049	31253	8	---	90	68600	3,52,53	---	---	---
F150	4x4	SuperCrew	No	6.5 Box	4.6L V8	3900	3800	7000		31253	8	---	0	68600	3,52,53	360	---	---
F150	4x4	SuperCrew	No	6.5 Box	5.4L V8	4050	3850	7200	H13 use 29049 or 2B use 29051	31253	8	---	0	68600	3,52,53	0	400	360
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5600	6100	9000		n/a	---	---	---	31269	10,48,52,53	---	220	210
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5200	6100	9000	H13 use 29049 or 2B use 29051	n/a	---	---	---	31269	10,48,52,53	---	220	210
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	4800	6100	9000		n/a	---	---	---	31269	10,48,52,53	---	220	210
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	6000	6100	9600	H13 use 29049 or 2B use 29051	n/a	---	---	---	31269	10,48,52,53	---	480	470
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	5600	6100	9600		n/a	---	---	---	31269	10,48,52,53	---	480	470
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	5200	6100	9600	H13 use 29049 or 2B use 29051	n/a	---	---	---	31269	10,48,52,53	---	880	840
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5600	6100	9200		n/a	---	---	---	31269	10,48,52,53	---	270	260
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5200	6100	9200	H13 use 29049 or 2B use 29051	n/a	---	---	---	31269	10,48,52,53	---	270	260
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	4800	6100	9200		n/a	---	---	---	31269	10,48,52,53	---	270	260
F250 SUPER DUTY	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501	H13 use 29049 or 2B use 29051	n/a	---	---	---	31269	10,48,52,53	---	?	?
F250 SUPER DUTY	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501		n/a	---	---	---	31269	10,48,52,53	---	?	?


- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Requires bumper notching.
  - These Snowplows Are For Personal/Homeowner Use Only.

- May require bumper or air dam notching.
- Snowplow prep package required until further notice.
- Some vehicles may require suspension aids to maintain adequate ground clearance.
- This model is equipped with the UltraMount® mount system.

# 2009 Ford

## Section 1 Suburbanite™, HTS™ & MIDWEIGHT™ Blades

	
<b>Suburbanite™</b>	
6'-8" POLY	7'-4" POLY
<b>SUB868</b>	<b>SUB874</b>
Plow Blade Assembly	
A&L Assembly Box 1	
27550	
A&L Assembly Box 2	
n/a	
Hydraulic Kit	
27516-1	
Light Kit	
64100	
Choose a Module	
29070-1	
Choose a Joystick Control or Hand-Held Control	
56369	
56462	

			
<b>HTS™</b>		<b>MIDWEIGHT™</b>	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY	
<b>IUTHS76</b>	<b>IUM75</b>	<b>IUTMY75</b>	
69500	64340	64330	
69525		64336	
n/a		67992	
n/a		64620	
n/a		28800	
29070-1			
96800		56369	
96900		56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)			
									Mount Kit	Notes		Mount Kit	Notes				
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5600	6100	9200	n/a	---	---	---	31269	10,48,52,53	---	170	160
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5200	6100	9200	n/a	---	---	---	31269	10,48,52,53	---	170	160
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	4800	6100	9200	n/a	---	---	---	31269	10,48,52,53	---	170	160
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	6000	6100	9800	n/a	---	---	---	31269	10,48,52,53	---	430	420
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	5600	6100	9800	n/a	---	---	---	31269	10,48,52,53	---	430	420
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5600	6100	9400	n/a	---	---	---	31269	10,48,52,53	---	220	220
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5200	6100	9400	n/a	---	---	---	31269	10,48,52,53	---	220	220
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	4800	6100	9400	n/a	---	---	---	31269	10,48,52,53	---	220	220
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5600	6100	9400	n/a	---	---	---	31269	10,48,52,53	---	180	170
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5200	6100	9400	n/a	---	---	---	31269	10,48,52,53	---	180	170
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	4800	6100	9400	n/a	---	---	---	31269	10,48,52,53	---	180	170
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.4L D	6000	6100	10000	n/a	---	---	---	31269	10,48,52,53	---	460	450
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.4L D	5600	6100	10000	n/a	---	---	---	31269	10,48,52,53	---	460	450
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	6000	6100	9600	n/a	---	---	---	31269	10,48,52,53	---	250	240
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5600	6100	9600	n/a	---	---	---	31269	10,48,52,53	---	250	240
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5200	6100	9600	n/a	---	---	---	31269	10,48,52,53	---	250	240
F250 SUPER DUTY	4x4	Super Cab	No	Chassis	n/a	n/a	n/a	8501	n/a	---	---	---	31269	10,48,52,53	---	?	?
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5600	6100	9400	n/a	---	---	---	31269	10,48,52,53	---	130	120
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5200	6100	9400	n/a	---	---	---	31269	10,48,52,53	---	130	120
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	4800	6100	9400	n/a	---	---	---	31269	10,48,52,53	---	130	120
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.4L D	6000	6100	10000	n/a	---	---	---	31269	10,48,52,53	---	440	430
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.4L D	5600	6100	10000	n/a	---	---	---	31269	10,48,52,53	---	440	430
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	6000	6100	9600	n/a	---	---	---	31269	10,48,52,53	---	190	180
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5600	6100	9600	n/a	---	---	---	31269	10,48,52,53	---	190	180
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5200	6100	9600	n/a	---	---	---	31269	10,48,52,53	---	190	180
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	6000	6100	9600	n/a	---	---	---	31269	10,48,52,53	---	180	170
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5600	6100	9600	n/a	---	---	---	31269	10,48,52,53	---	180	170
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5200	6100	9600	n/a	---	---	---	31269	10,48,52,53	---	180	170
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.4L D	6000	6100	10000	n/a	---	---	---	31269	10,48,52,53	---	460	460
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.4L D	5600	6100	10000	n/a	---	---	---	31269	10,48,52,53	---	570	520
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	6000	6100	9800	n/a	---	---	---	31269	10,48,52,53	---	220	220
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5600	6100	9800	n/a	---	---	---	31269	10,48,52,53	---	220	220
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5200	6100	9800	n/a	---	---	---	31269	10,48,52,53	---	220	220
F250 SUPER DUTY	4x4	Crew Cab	No	Chassis	n/a	n/a	n/a	8501	n/a	---	---	---	31269	10,48,52,53	---	?	?


H13 use 29049 or 2B use 29051

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - May require bumper or air dam notching.
  - Snowplow prep package required until further notice.


- Some vehicles may require suspension aids to maintain adequate ground clearance.
- This model is equipped with the UltraMount® mount system.

# 2009 Ford

## Section 1 Suburbanite™, HTS™ & MIDWEIGHT™ Blades

	
<b>Suburbanite™</b>	
6'-8" POLY	7'-4" POLY
<b>SUB68</b>	<b>SUB74</b>
27546	27548
27550	
n/a	
27516-1	
64100	
29070-1	
56369	
56462	

Plow  
Blade Assembly  
A&L Assembly Box 1  
A&L Assembly Box 2  
Hydraulic Kit  
Light Kit  
Choose a Module  
Choose a Joystick Control  
or Hand-Held Control

		
<b>HTS™</b>	<b>MIDWEIGHT™</b>	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY
<b>IUTHS76</b>	<b>IUTM75</b>	<b>IUTMY75</b>
69500	64340	64330
69525	64336	
n/a	67992	
n/a	64620	
n/a	28800	
29070-1		
96800	56369	
96900	56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)			
									Mount Kit	Notes		Mount Kit	Notes				
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5600	6262	10100	n/a	---	---	---	31269	10,48,52,53	---	190	180
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5200	6262	10100	n/a	---	---	---	31269	10,48,52,53	---	190	180
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	4800	6262	10100	n/a	---	---	---	31269	10,48,52,53	---	190	180
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	6000	6262	10600	n/a	---	---	---	31269	10,48,52,53	---	460	450
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	5600	6262	10600	n/a	---	---	---	31269	10,48,52,53	---	460	450
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	5200	6262	10600	n/a	---	---	---	31269	10,48,52,53	---	---	960
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5600	6262	10200	n/a	---	---	---	31269	10,48,52,53	---	240	230
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5200	6262	10200	n/a	---	---	---	31269	10,48,52,53	---	240	230
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	4800	6262	10200	n/a	---	---	---	31269	10,48,52,53	---	240	230
F350 SUPER DUTY	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501	n/a	---	---	---	31269	10,48,52,53	---	?	?
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5600	6262	10200	n/a	---	---	---	31269	10,48,52,53	---	140	130
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5200	6262	10200	n/a	---	---	---	31269	10,48,52,53	---	140	130
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	4800	6262	10200	n/a	---	---	---	31269	10,48,52,53	---	140	130
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	6000	6262	10800	n/a	---	---	---	31269	10,48,52,53	---	400	390
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	5600	6262	10800	n/a	---	---	---	31269	10,48,52,53	---	400	390
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5600	6262	10400	n/a	---	---	---	31269	10,48,52,53	---	190	180
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5200	6262	10400	n/a	---	---	---	31269	10,48,52,53	---	190	180
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	4800	6262	10400	n/a	---	---	---	31269	10,48,52,53	---	210	180
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5600	6262	10400	n/a	---	---	---	31269	10,48,52,53	---	150	140
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5200	6262	10400	n/a	---	---	---	31269	10,48,52,53	---	150	140
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	4800	6262	10400	n/a	---	---	---	31269	10,48,52,53	---	150	140
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.4L D	6000	6262	11000	n/a	---	---	---	31269	10,48,52,53	---	460	460
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.4L D	5600	6262	11000	n/a	---	---	---	31269	10,48,52,53	---	460	460
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	6000	6262	10600	n/a	---	---	---	31269	10,48,52,53	---	210	210
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5600	6262	10600	n/a	---	---	---	31269	10,48,52,53	---	210	210
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5200	6262	10600	n/a	---	---	---	31269	10,48,52,53	---	210	210
F350 SUPER DUTY	4x4	Super Cab	No	Chassis	n/a	n/a	n/a	8501	n/a	---	---	---	31269	10,48,52,53	---	?	?
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5600	6262	10400	n/a	---	---	---	31269	10,48,52,53	---	110	100
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5200	6262	10400	n/a	---	---	---	31269	10,48,52,53	---	110	100
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	4800	6262	10400	n/a	---	---	---	31269	10,48,52,53	---	110	100
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.4L D	6000	6262	11000	n/a	---	---	---	31269	10,48,52,53	---	410	410
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.4L D	5600	6262	11000	n/a	---	---	---	31269	10,48,52,53	---	410	410
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	6000	6262	10600	n/a	---	---	---	31269	10,48,52,53	---	160	150
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5600	6262	10600	n/a	---	---	---	31269	10,48,52,53	---	160	150
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5200	6262	10600	n/a	---	---	---	31269	10,48,52,53	---	160	150

H13 use  
29049 or 2B  
use 29051

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Some vehicles may require suspension aids to maintain adequate ground clearance.
  - May require bumper or air dam notching.
  - This model is equipped with the UltraMount® mount system.
  - Snowplow prep package required until further notice.

# 2009 Ford

## Section 1 Suburbanite™, HTS™ & MIDWEIGHT™ Blades



Suburbanite™

6'-8" POLY	7'-4" POLY
SUB68	SUB74
27546	27548
27550	
n/a	
27516-1	
64100	
29070-1	
56369	
56462	

Plow  
Blade Assembly  
AQ&L Assembly Box 1  
AQ&L Assembly Box 2  
Hydraulic Kit  
Light Kit  
Choose a Module  
Choose a Joystick Control  
or Hand-Held Control



HTS™		MIDWEIGHT™	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY	
IUTHS76	IUTM75	IUTMY75	
69500	64340	64330	
69525		64336	
n/a		67992	
n/a		64620	
n/a		28800	
29070-1			
96800		56369	
96900		56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)				
									Mount Kit	Notes		Mount Kit	Notes					
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	6000	6262	10600						31269	10,48,52,53	---	140	140
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5600	6262	10600						31269	10,48,52,53	---	140	140
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5200	6262	10600						31269	10,48,52,53	---	140	140
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.4L D	6000	6262	11200						31269	10,48,52,53	---	440	430
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.4L D	5600	6262	11200						31269	10,48,52,53	---	790	740
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	6000	6262	10800						31269	10,48,52,53	---	190	180
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5600	6262	10800						31269	10,48,52,53	---	190	180
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5200	6262	10800						31269	10,48,52,53	---	190	180
F350 SUPER DUTY	4x4	Crew Cab	No	Chassis	n/a	n/a	n/a	8501						31269	10,48,52,53	---	?	?

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - May require bumper or air dam notching.
  - Snowplow prep package required until further notice.

- Some vehicles may require suspension aids to maintain adequate ground clearance.
- This model is equipped with the UltraMount® mount system.



# 2009 Ford

## Section 2

### PRO-PLOW® Series 2, PRO PLUS® & HEAVYWEIGHT Blades

UltraMount®								
PRO-PLOW® Series 2					PRO PLUS®			
7'-6" STEEL	7'-6" POLY	8' STEEL	8' POLY	8'-6" STEEL	7'-6" STEEL	8' STEEL	8'-6" STEEL	9' STEEL
IUTP75S2	IUTPY75S2	IUTP80S2	IUTPY80S2	IUTP85S2	IUTPP75	IUTPP80	IUTPP85	IUTPP90
60381	62400	60390	62450	60308	64750	66980	66974	66901
67950					66490			
67951-2					64999			
64588					28800-1			
64588					29070-1			
64588					56369			
64588					56462			

UniMount®	
HEAVYWEIGHT	
9' STEEL	10' STEEL
IUHW90	IUHW10
62301	62302
62298-1	
62299-1	
64400	
28800-1 & 28340	
29070-1	
56369	
56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)								UniMount® System		Ballast Guidelines, lbs (1)				
									Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes							
F150	4x4	Reg Cab	No	8.0 Box	5.4L V8	4300	3850	8200	H13 use 29049	68600	3,43,53	360	480	370	510	430	---	---	---	---	n/a	---	---	---	
F150	4x4	Reg Cab	No	8.0 Box	5.4L V8	4300	3850	7200		68600	3,43,53	410	450	430	460	440	570	---	---	---	---	n/a	---	---	---
F150	4x4	Super Cab	No	8.0 Box	5.4L V8	4300	4800	8200	H13 use 29049 or 2B use 29051	68600	3,43,53	250	290	260	320	280	810	---	---	---	---	n/a	---	---	---
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5600	6100	9000		31269	10,43,48,53	340	380	350	380	370	460	470	490	500	n/a	---	---	---	
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5200	6100	9000	H13 use 29049 or 2B use 29051	31269	10,43,48,53	340	380	350	380	370	460	470	490	500	n/a	---	---	---	
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	4800	6100	9000		31269	10,43,48,53	340	380	350	380	370	600	760	840	930	n/a	---	---	---	
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	6000	6100	9600	H13 use 29049 or 2B use 29051	31269	10,43,48,53	600	640	620	650	630	740	760	770	790	n/a	---	---	---	
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	5600	6100	9600		31269	10,43,48,53	600	640	620	650	630	820	910	1000	---	n/a	---	---	---	
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5600	6100	9200	H13 use 29049 or 2B use 29051	31269	10,43,48,53	390	430	400	430	420	510	520	540	560	n/a	---	---	---	
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5200	6100	9200		31269	10,43,48,53	390	430	400	430	420	510	520	540	560	n/a	---	---	---	
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	4800	6100	9200	H13 use 29049 or 2B use 29051	31269	10,43,48,53	450	650	530	750	610	---	---	---	---	n/a	---	---	---	
F250 SUPER DUTY	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501		31269	10,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5600	6100	9200	H13 use 29049 or 2B use 29051	31269	10,43,48,53	290	330	300	330	320	410	420	440	450	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5200	6100	9200		31269	10,43,48,53	290	330	300	330	320	410	420	440	450	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	4800	6100	9200	H13 use 29049 or 2B use 29051	31269	10,43,48,53	310	520	400	550	480	---	---	---	---	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	6000	6100	9800		31269	10,43,48,53	550	590	560	590	580	690	700	720	740	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	5600	6100	9800	H13 use 29049 or 2B use 29051	31269	10,43,48,53	550	760	570	790	650	---	---	---	---	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5600	6100	9400		31269	10,43,48,53	340	380	360	390	370	460	480	490	510	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5200	6100	9400	H13 use 29049 or 2B use 29051	31269	10,43,48,53	340	380	360	390	370	460	480	490	510	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	4800	6100	9400		31269	10,43,48,53	850	---	950	---	---	---	---	---	---	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5600	6100	9400	H13 use 29049 or 2B use 29051	31269	10,43,48,53	300	340	310	340	330	410	430	440	460	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5200	6100	9400		31269	10,43,48,53	300	340	310	340	330	410	430	440	460	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	4800	6100	9400	H13 use 29049 or 2B use 29051	31269	10,43,48,53	800	---	900	---	1000	---	---	---	---	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.4L D	6000	6100	10000		31269	10,43,48,53	580	620	590	620	610	710	730	740	760	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.4L D	5600	6100	10000	H13 use 29049 or 2B use 29051	31269	10,43,48,53	950	---	---	---	---	---	---	---	---	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	6000	6100	9600		31269	10,43,48,53	360	400	380	410	390	480	490	510	520	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5600	6100	9600	H13 use 29049 or 2B use 29051	31269	10,43,48,53	360	400	380	410	390	480	490	510	520	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5200	6100	9600		31269	10,43,48,53	360	400	380	410	390	480	490	510	520	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	Chassis	n/a	n/a	n/a	8501	H13 use 29049 or 2B use 29051	31269	10,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---	
F250 SUPER DUTY	4x4	Super Cab	No	Chassis	n/a	n/a	n/a	8501		31269	10,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---	

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Requires bumper notching.
  - May require bumper or air dam notching.

- This model is scheduled for phase-out. Please check with your sales outlet for availability.
- Snowplow prep package required until further notice.
- This model is equipped with the UltraMount® mount system.

# 2009 Ford

## Section 2

### PRO-PLOW® Series 2, PRO PLUS® & HEAVYWEIGHT Blades

UltraMount®								
PRO-PLOW® Series 2					PRO PLUS®			
7'-6" STEEL	7'-6" POLY	8' STEEL	8' POLY	8'-6" STEEL	7'-6" STEEL	8' STEEL	8'-6" STEEL	9' STEEL
IUTP75S2	IUTPY75S2	IUTP80S2	IUTPY80S2	IUTP85S2	IUTPP75	IUTPP80	IUTPP85	IUTPP90
60381	62400	60390	62450	60308	64750	66980	66974	66901
67950					66490			
67951-2					64999			
64588					28800-1			
64588					29070-1			
64588					56369			
64588					56462			

UniMount®	
HEAVYWEIGHT	
9' STEEL	10' STEEL
IUHW90	IUHW10
62301	62302
62298-1	
62299-1	
64400	
28800-1 & 28340	
29070-1	
56369	
56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)								UniMount® System		Ballast Guidelines, lbs (1)		
									Mount Kit	Notes	1	2	3	4	5	6	7	8	9	10	Mount Kit	Notes	1
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5600	6100	9400	31269	10,43,48,53	250	290	260	290	280	360	380	390	410	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5200	6100	9400	31269	10,43,48,53	250	290	260	290	280	360	380	390	410	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	4800	6100	9400	31269	10,43,48,53	770	---	870	---	960	---	---	---	---	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.4L D	6000	6100	10000	31269	10,43,48,53	550	590	570	600	580	690	710	720	740	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	6000	6100	9600	31269	10,43,48,53	310	340	320	350	340	420	440	450	470	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5600	6100	9600	31269	10,43,48,53	310	340	320	350	340	420	440	450	470	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5200	6100	9600	31269	10,43,48,53	310	340	320	350	340	420	440	510	600	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	6000	6100	9600	31269	10,43,48,53	290	330	310	330	320	400	420	430	450	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5600	6100	9600	31269	10,43,48,53	290	330	310	330	320	400	420	430	450	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5200	6100	9600	31269	10,43,48,53	290	330	310	330	320	400	420	430	500	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.4L D	6000	6100	10000	31269	10,43,48,53	580	620	590	620	610	710	720	740	750	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	6000	6100	9800	31269	10,43,48,53	340	370	350	380	370	450	460	480	490	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5600	6100	9800	31269	10,43,48,53	340	370	350	380	370	450	460	480	490	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5200	6100	9800	31269	10,43,48,53	340	370	350	380	370	810	910	---	---	n/a	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	Chassis	n/a	n/a	n/a	8501	31269	10,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5600	6262	10100	31269	10,43,48,53	310	350	320	350	340	430	440	460	470	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5200	6262	10100	31269	10,43,48,53	310	350	320	350	340	430	440	460	470	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	4800	6262	10100	31269	10,43,48,53	310	350	320	350	340	430	440	460	470	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	6000	6262	10600	31269	10,43,48,53	580	620	600	630	610	720	740	760	770	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	5600	6262	10600	31269	10,43,48,53	580	620	600	630	610	940	---	---	---	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5600	6262	10200	31269	10,43,48,53	360	400	370	400	390	480	490	510	530	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5200	6262	10200	31269	10,43,48,53	360	400	370	400	390	480	490	510	530	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	4800	6262	10200	31269	10,43,48,53	560	830	640	870	790	---	---	---	---	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501	31269	10,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	Yes	8.0 Box	5.4L V8	5600	9000	12000	31269	10,43,48,53	---	---	---	---	90	---	---	210	230	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	Yes	8.0 Box	6.4L D	6000	9000	12600	31269	10,43,48,53	---	---	---	---	370	---	---	490	510	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	Yes	8.0 Box	6.8L V10	5600	9000	12200	31269	10,43,48,53	---	---	---	---	140	---	---	270	280	n/a	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	Yes	Chassis	n/a	n/a	n/a	8501	31269	10,43,48,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5600	6262	10200	31269	10,43,48,53	250	300	270	300	290	370	390	410	420	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5200	6262	10200	31269	10,43,48,53	250	300	270	300	290	370	390	410	420	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	4800	6262	10200	31269	10,43,48,53	430	630	520	740	600	---	---	---	---	n/a	---	---	---

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - May require bumper or air dam notching.
  - This model is scheduled for phase-out. Please check with your sales outlet for availability.

- Snowplow prep package required until further notice.
- This model is equipped with the UltraMount® mount system.

# 2009 Ford

## Section 2

### PRO-PLOW® Series 2, PRO PLUS® & HEAVYWEIGHT Blades

UltraMount®								
PRO-PLOW® Series 2					PRO PLUS®			
7'-6" STEEL	7'-6" POLY	8' STEEL	8' POLY	8'-6" STEEL	7'-6" STEEL	8' STEEL	8'-6" STEEL	9' STEEL
IUTP75S2	IUTPY75S2	IUTP80S2	IUTPY80S2	IUTP85S2	IUTPP75	IUTPP80	IUTPP85	IUTPP90
60381	62400	60390	62450	60308	64750	66980	66974	66901
67950					66490			
67951-2					64999			
64588					28800-1			
64588					29070-1			
64588					56369			
64588					56462			

UniMount®	
HEAVYWEIGHT	
9' STEEL	10' STEEL
IUHW90	IUHW10
62301	62302
62298-1	
62299-1	
64400	
28800-1 & 28340	
29070-1	
56369	
56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)								UniMount® System		Ballast Guidelines, lbs (1)		
									Mount Kit	Notes	1	2	3	4	5	6	7	8	9	10	Mount Kit	Notes	1
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	6000	6262	10800	31269	10,43,48,53	520	560	540	570	550	640	650	690	710	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	5600	6262	10800	31269	10,43,48,53	600	890	760	920	840	---	---	---	---	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5600	6262	10400	31269	10,43,48,53	310	350	330	360	340	430	450	460	480	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5200	6262	10400	31269	10,43,48,53	310	350	330	360	340	430	450	460	480	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	4800	6262	10400	31269	10,43,48,53	970	---	---	---	---	---	---	---	---	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5600	6262	10400	31269	10,43,48,53	270	300	280	310	300	380	400	410	430	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5200	6262	10400	31269	10,43,48,53	270	300	280	310	300	380	400	410	430	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	4800	6262	10400	31269	10,43,48,53	940	---	---	---	---	---	---	---	---	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.4L D	6000	6262	11000	31269	10,43,48,53	580	620	600	630	610	720	730	750	760	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	6000	6262	10600	31269	10,43,48,53	330	370	350	370	360	450	460	480	490	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5600	6262	10600	31269	10,43,48,53	330	370	350	370	360	450	460	480	490	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5200	6262	10600	31269	10,43,48,53	330	370	350	370	360	450	460	480	490	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	Chassis	n/a	n/a	n/a	8501	31269	10,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	Yes	8.0 Box	5.4L V8	5600	9000	12400	31269	10,43,48,53	---	---	---	---	40	---	---	160	170	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	Yes	8.0 Box	6.4L D	6000	9000	13000	31269	10,43,48,53	---	---	---	---	320	---	---	440	450	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	Yes	8.0 Box	6.8L V10	6000	9000	12600	31269	10,43,48,53	---	---	---	---	110	---	---	220	240	n/a	---	---	---
F350 SUPER DUTY	4x4	Super Cab	Yes	Chassis	n/a	n/a	n/a	8501	31269	10,43,48,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5600	6262	10400	31269	10,43,48,53	220	260	240	270	250	340	360	370	390	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5200	6262	10400	31269	10,43,48,53	220	260	240	270	250	340	360	370	390	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	4800	6262	10400	31269	10,43,48,53	910	---	---	---	---	---	---	---	---	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.4L D	6000	6262	11000	31269	10,43,48,53	530	570	540	570	560	640	680	690	710	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	6000	6262	10600	31269	10,43,48,53	280	320	290	320	310	390	410	420	440	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5600	6262	10600	31269	10,43,48,53	280	320	290	320	310	390	410	420	440	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5200	6262	10600	31269	10,43,48,53	280	320	290	320	310	460	550	640	800	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	6000	6262	10600	31269	10,43,48,53	260	300	270	300	290	370	390	400	410	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5600	6262	10600	31269	10,43,48,53	260	300	270	300	290	370	390	400	410	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5200	6262	10600	31269	10,43,48,53	260	300	270	300	290	370	460	550	650	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.4L D	6000	6262	11200	31269	10,43,48,53	550	590	570	590	580	680	700	800	900	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	6000	6262	10800	31269	10,43,48,53	300	340	320	350	330	420	430	450	460	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5600	6262	10800	31269	10,43,48,53	300	340	320	350	330	420	430	450	460	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5200	6262	10800	31269	10,43,48,53	300	430	320	470	390	960	---	---	---	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	Chassis	n/a	n/a	n/a	8501	31269	10,43,48,53	?	?	?	?	?	?	?	?	?	n/a	---	---	---

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - May require bumper or air dam notching.
  - This model is scheduled for phase-out. Please check with your sales outlet for availability.

- Snowplow prep package required until further notice.
- This model is equipped with the UltraMount® mount system.

# 2009 Ford

## Section 2

### PRO-PLOW® Series 2, PRO PLUS® & HEAVYWEIGHT Blades

UltraMount®								
PRO-PLOW® Series 2					PRO PLUS®			
7'-6" STEEL	7'-6" POLY	8' STEEL	8' POLY	8'-6" STEEL	7'-6" STEEL	8' STEEL	8'-6" STEEL	9' STEEL
IUTP75S2	IUTPY75S2	IUTP80S2	IUTPY80S2	IUTP85S2	IUTPP75	IUTPP80	IUTPP85	IUTPP90
60381	62400	60390	62450	60308	64750	66980	66974	66901
67950					66490			
67951-2					64999			
64588					28800-1			
64588					29070-1			
64588					56369			
64588					56462			

UniMount®	
HEAVYWEIGHT	
9' STEEL	10' STEEL
IUHW90	IUHW10
62301	62302
62298-1	
62299-1	
64400	
28800-1 & 28340	
29070-1	
56369	
56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)								UniMount® System		Ballast Guidelines, lbs (1)			
									Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes						
F350 SUPER DUTY	4x4	Crew Cab	Yes	8.0 Box	5.4L V8	6000	9000	12400	H13 use 29049 or 2B use 29051	31269	10,43,48,53	---	---	---	---	30	---	---	140	150	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	Yes	8.0 Box	6.4L D	6000	9000	13000		31269	10,43,48,53	---	---	---	---	320	---	---	850	950	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	Yes	8.0 Box	6.8L V10	6000	9000	12600		31269	10,43,48,53	---	---	---	---	70	---	---	180	200	n/a	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	Yes	Chassis	n/a	n/a	n/a	8501		31269	10,43,48,53	---	---	---	---	?	---	---	?	?	n/a	---	---	---
F450 SUPER DUTY	4x4	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F450 SUPER DUTY	4x4	Super Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F450 SUPER DUTY	4x4	Crew Cab	Yes	8.0 Box	6.4L D	6500	10400	14500		31269	10,43,48,53	---	---	---	---	---	---	---	270	290	n/a	---	---	---
F450 SUPER DUTY	4x4	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F450 SUPER DUTY	4x2	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F450 SUPER DUTY	4x2	Super Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F450 SUPER DUTY	4x2	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F550 SUPER DUTY	4x4	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F550 SUPER DUTY	4x4	Super Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F550 SUPER DUTY	4x4	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F550 SUPER DUTY	4x2	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F550 SUPER DUTY	4x2	Super Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F550 SUPER DUTY	4x2	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10000		31269	10,43,48,53	---	---	---	---	---	---	---	?	?	n/a	---	---	---
F650	4x2	n/a	Yes	Chassis	n/a	n/a	n/a	10001		2B use 29053 & 29234 or HB5 use 29053 & 29235	n/a	---	---	---	---	---	---	---	---	---	---	62275	---	?
F650 (Low Pro)	4x2	n/a	Yes	Chassis	n/a	n/a	n/a	10001	2B use 29053 & 29234 or HB5 use 29053 & 29235	n/a	---	---	---	---	---	---	---	---	---	---	62275	---	?	?

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - May require bumper or air dam notching.
  - This model is scheduled for phase-out. Please check with your sales outlet for availability.

- Snowplow prep package required until further notice.
- This model is equipped with the UltraMount® mount system.

# 2009 Ford

## Section 3 MVP PLUS™ & WIDE-OUT™ Blades

<b>MVP PLUS™</b>						<b>WIDE-OUT™</b>
7'-6" STEEL	7'-6" POLY	8'-6" STEEL	8'-6" POLY	9'-6" STEEL	9'-6" POLY	8'-10" STEEL
IUTHVPP75	IUTHVPPY75	IUTHVPP85	IUTHVPPY85	IUTHVPP95	IUTHVPPY95	IUTH0810
Blade Assembly	44475-1	44575-1	44485-1	44495-1	44595-1	51810
AQ&L Assembly Box 1	44225-1					
AQ&L Assembly Box 2	n/a					
Hydraulic Kit	n/a					
Light Kit	n/a					
Choose a Module	29070-1					
Choose a Joystick Control	96400					
or Hand-Held Control	96500					

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)							
									Mount Kit	Notes								
F150	4x4	Reg Cab	No	8.0 Box	5.4L V8	4300	3850	8200	H13 use 29049	68600	3,53	---	900	---	---	---	---	---
F150	4x4	Reg Cab	No	8.0 Box	5.4L V8	4300	3850	7200		68600	3,53	610	490	---	---	---	---	---
F150	4x4	Super Cab	No	8.0 Box	5.4L V8	4300	4800	8200		68600	3,53	840	610	---	---	---	---	---
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5600	6100	9000	H13 use 29049 or 2B use 29051	31269	10,48,53	440	420	480	460	570	540	600
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5200	6100	9000		31269	10,48,53	440	420	480	460	570	540	600
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	4800	6100	9000		31269	10,48,53	630	500	960	790	---	---	---
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	6000	6100	9600		31269	10,48,53	730	700	770	740	860	830	890
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	5600	6100	9600		31269	10,48,53	850	710	---	940	---	---	---
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5600	6100	9200		31269	10,48,53	490	470	530	510	630	590	650
F250 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5200	6100	9200		31269	10,48,53	490	470	530	510	630	590	650
F250 SUPER DUTY	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501		31269	10,48,53	?	?	?	?	?	?	?
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5600	6100	9200		31269	10,48,53	390	370	430	410	520	490	550
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5200	6100	9200		31269	10,48,53	390	370	430	410	520	490	550
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	4800	6100	9200		31269	10,48,53	---	900	---	---	---	---	---
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	6000	6100	9800		31269	10,48,53	650	630	720	690	810	770	840
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5600	6100	9400		31269	10,48,53	450	420	490	460	580	540	600
F250 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5200	6100	9400		31269	10,48,53	450	420	490	460	890	620	870
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5600	6100	9400		31269	10,48,53	400	380	440	420	530	500	550
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5200	6100	9400		31269	10,48,53	400	380	440	420	800	520	760
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.4L D	6000	6100	10000		31269	10,48,53	700	680	740	710	960	800	910
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	6000	6100	9600		31269	10,48,53	470	440	510	480	590	560	620
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5600	6100	9600		31269	10,48,53	470	440	510	480	590	560	620
F250 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5200	6100	9600		31269	10,48,53	470	440	780	540	---	---	---
F250 SUPER DUTY	4x4	Super Cab	No	Chassis	n/a	n/a	n/a	8501		31269	10,48,53	?	?	?	?	?	?	?
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5600	6100	9400		31269	10,48,53	350	330	390	370	480	450	500
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5200	6100	9400		31269	10,48,53	350	330	390	370	780	500	730
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.4L D	6000	6100	10000		31269	10,48,53	680	630	720	690	---	790	980
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	6000	6100	9600		31269	10,48,53	410	390	450	420	540	510	560
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5600	6100	9600		31269	10,48,53	410	390	450	420	540	510	560
F250 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5200	6100	9600		31269	10,48,53	410	390	640	480	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	6000	6100	9600		31269	10,48,53	390	370	430	410	520	490	540
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5600	6100	9600		31269	10,48,53	390	370	430	410	520	490	540
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5200	6100	9600		31269	10,48,53	390	370	560	410	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.4L D	6000	6100	10000	31269	10,48,53	700	680	800	710	---	---	---	

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - Requires bumper notching.
  - May require bumper or air dam notching.

- Snowplow prep package required until further notice.
- This model is equipped with the UltraMount® mount system.

# 2009 Ford

## Section 3 MVP PLUS™ & WIDE-OUT™ Blades

UltraMount™						
MVP PLUS™						WIDE-OUT™
7'-6" STEEL	7'-6" POLY	8'-6" STEEL	8'-6" POLY	9'-6" STEEL	9'-6" POLY	8'-10" STEEL
IUTHVPP75	IUTHVPPY75	IUTHVPP85	IUTHVPPY85	IUTHVPP95	IUTHVPPY95	IUTH0810
44475-1	44575-1	44485-1	44585-1	44495-1	44595-1	51810
44225-1						
n/a						
n/a						
n/a						
29070-1						
96400						
96500						

Plow  
Blade Assembly  
A&L Assembly Box 1  
A&L Assembly Box 2  
Hydraulic Kit  
Light Kit  
Choose a Module  
Choose a Joystick Control  
or Hand-Held Control

Model	Body Style	DRW	Box Option	Engine Type	Min FGAWR	Min RGAWR	Min GVWR	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)						
									Mount Kit	Notes							
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	6000	6100	9800	31269	10,48,53	440	420	480	450	570	530	580
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5600	6100	9800	31269	10,48,53	440	420	480	450	570	530	580
F250 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5200	6100	9800	31269	10,48,53	870	640	---	990	---	---	---
F250 SUPER DUTY	4x4	Crew Cab	No	Chassis	n/a	n/a	n/a	8501	31269	10,48,53	?	?	?	?	?	?	?
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5600	6262	10100	31269	10,48,53	410	390	450	430	540	510	570
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	5200	6262	10100	31269	10,48,53	410	390	450	430	540	510	570
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	5.4L V8	4800	6262	10100	31269	10,48,53	820	620	---	920	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	6000	6262	10600	31269	10,48,53	710	680	750	720	840	810	870
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.4L D	5600	6262	10600	31269	10,48,53	970	830	---	---	---	---	---
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5600	6262	10200	31269	10,48,53	460	440	500	480	600	560	620
F350 SUPER DUTY	4x4	Reg Cab	No	8.0 Box	6.8L V10	5200	6262	10200	31269	10,48,53	460	440	500	480	610	560	620
F350 SUPER DUTY	4x4	Reg Cab	No	Chassis	n/a	n/a	n/a	8501	31269	10,48,53	?	?	?	?	?	?	?
F350 SUPER DUTY	4x4	Reg Cab	Yes	8.0 Box	5.4L V8	5600	9000	12000	31269	10,48,53	---	---	210	180	300	260	330
F350 SUPER DUTY	4x4	Reg Cab	Yes	8.0 Box	6.4L D	6000	9000	12600	31269	10,48,53	---	---	480	460	570	540	600
F350 SUPER DUTY	4x4	Reg Cab	Yes	8.0 Box	6.8L V10	5600	9000	12200	31269	10,48,53	---	---	260	230	350	320	380
F350 SUPER DUTY	4x4	Reg Cab	Yes	Chassis	n/a	n/a	n/a	8501	31269	10,48,53	---	---	?	?	?	?	?
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5600	6262	10200	31269	10,48,53	360	340	400	370	490	460	520
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	5.4L V8	5200	6262	10200	31269	10,48,53	360	340	400	370	490	460	520
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.4L D	6000	6262	10800	31269	10,48,53	620	600	690	640	780	740	810
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5600	6262	10400	31269	10,48,53	410	390	460	430	550	510	570
F350 SUPER DUTY	4x4	Super Cab	No	6.8 Box	6.8L V10	5200	6262	10400	31269	10,48,53	410	390	460	430	---	810	1000
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5600	6262	10400	31269	10,48,53	370	350	410	380	500	460	520
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	5.4L V8	5200	6262	10400	31269	10,48,53	370	350	410	380	940	640	900
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.4L D	6000	6262	11000	31269	10,48,53	700	680	750	720	---	990	---
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	6000	6262	10600	31269	10,48,53	430	410	470	450	560	530	580
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5600	6262	10600	31269	10,48,53	430	410	470	450	560	530	580
F350 SUPER DUTY	4x4	Super Cab	No	8.0 Box	6.8L V10	5200	6262	10600	31269	10,48,53	570	430	920	740	---	---	---
F350 SUPER DUTY	4x4	Super Cab	No	Chassis	n/a	n/a	n/a	8501	31269	10,48,53	?	?	?	?	?	?	?
F350 SUPER DUTY	4x4	Super Cab	Yes	8.0 Box	5.4L V8	5600	9000	12400	31269	10,48,53	---	---	160	130	240	210	270
F350 SUPER DUTY	4x4	Super Cab	Yes	8.0 Box	6.4L D	6000	9000	13000	31269	10,48,53	---	---	500	410	---	930	---
F350 SUPER DUTY	4x4	Super Cab	Yes	8.0 Box	6.8L V10	6000	9000	12600	31269	10,48,53	---	---	220	190	310	270	330
F350 SUPER DUTY	4x4	Super Cab	Yes	Chassis	n/a	n/a	n/a	8501	31269	10,48,53	---	---	?	?	?	?	?

H13 use 29049 or 2B use 29051

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - May require bumper or air dam notching.
  - Snowplow prep package required until further notice.

53. This model is equipped with the UltraMount® mount system.

# 2009 Ford

## Section 3 MVP PLUS™ & WIDE-OUT™ Blades

<b>MVP PLUS™</b>						<b>WIDE-OUT™</b>
7'-6" STEEL	7'-6" POLY	8'-6" STEEL	8'-6" POLY	9'-6" STEEL	9'-6" POLY	8'-10" STEEL
IUTHVPP75	IUTHVPP75	IUTHVPP85	IUTHVPP85	IUTHVPP95	IUTHVPP95	IUTH0810
Blade Assembly	44475-1	44575-1	44485-1	44585-1	44495-1	44595-1
AQ&L Assembly Box 1	44225-1					
AQ&L Assembly Box 2	n/a					
Hydraulic Kit	n/a					
Light Kit	n/a					
Choose a Module	29070-1					
Choose a Joystick Control	96400					
or Hand-Held Control	96500					

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)						
									Mount Kit	Notes							
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5600	6262	10400	31269	10,48,53	330	300	370	340	460	420	480
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	5.4L V8	5200	6262	10400	31269	10,48,53	330	300	370	340	920	620	870
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.4L D	6000	6262	11000	31269	10,48,53	630	610	690	650	---	930	---
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	6000	6262	10600	31269	10,48,53	380	360	420	390	510	480	530
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5600	6262	10600	31269	10,48,53	380	360	420	390	510	480	530
F350 SUPER DUTY	4x4	Crew Cab	No	6.8 Box	6.8L V10	5200	6262	10600	31269	10,48,53	510	370	850	600	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	6000	6262	10600	31269	10,48,53	360	340	400	370	490	450	510
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5600	6262	10600	31269	10,48,53	360	340	400	370	490	450	510
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	5.4L V8	5200	6262	10600	31269	10,48,53	430	340	780	530	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.4L D	6000	6262	11200	31269	10,48,53	650	630	970	770	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	6000	6262	10800	31269	10,48,53	410	380	450	420	530	500	550
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5600	6262	10800	31269	10,48,53	410	380	450	420	530	500	550
F350 SUPER DUTY	4x4	Crew Cab	No	8.0 Box	6.8L V10	5200	6262	10800	31269	10,48,53	---	860	---	---	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	No	Chassis	n/a	n/a	n/a	8501	31269	10,48,53	?	?	?	?	?	?	?
F350 SUPER DUTY	4x4	Crew Cab	Yes	8.0 Box	5.4L V8	6000	9000	12400	31269	10,48,53	---	---	140	110	230	190	240
F350 SUPER DUTY	4x4	Crew Cab	Yes	8.0 Box	6.4L D	6000	9000	13000	31269	10,48,53	---	---	---	820	---	---	---
F350 SUPER DUTY	4x4	Crew Cab	Yes	8.0 Box	6.8L V10	6000	9000	12600	31269	10,48,53	---	---	180	160	270	240	290
F350 SUPER DUTY	4x4	Crew Cab	Yes	Chassis	n/a	n/a	n/a	8501	31269	10,48,53	---	---	?	?	?	?	?
F450 SUPER DUTY	4x4	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F450 SUPER DUTY	4x4	Super Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F450 SUPER DUTY	4x4	Crew Cab	Yes	8.0 Box	6.4L D	6500	10400	14500	31269	10,48,53	---	---	270	250	360	330	380
F450 SUPER DUTY	4x4	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F450 SUPER DUTY	4x2	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F450 SUPER DUTY	4x2	Super Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F450 SUPER DUTY	4x2	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F550 SUPER DUTY	4x4	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F550 SUPER DUTY	4x4	Super Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F550 SUPER DUTY	4x4	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F550 SUPER DUTY	4x2	Reg Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F550 SUPER DUTY	4x2	Super Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?
F550 SUPER DUTY	4x2	Crew Cab	Yes	Chassis	n/a	n/a	n/a	10000	31269	10,48,53	---	---	?	?	?	?	?

**Notes:**

- 1. Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
- 10. May require bumper or air dam notching.
- 48. Snowplow prep package required until further notice.
- 53. This model is equipped with the UltraMount® mount system.

# 2009 Jeep

## Section 1

### Suburbanite™, HTS™ & MIDWEIGHT™ Blades



Suburbanite™

6'-8" POLY	7'-4" POLY
SUB68	SUB74
27546	27548
27550	
n/a	
27516-1	
64100	
29070-1	
56369	
56462	

Plow  
Blade Assembly  
AQ&L Assembly Box 1  
AQ&L Assembly Box 2  
Hydraulic Kit  
Light Kit  
Choose a Module  
Choose a Joystick Control  
or Hand-Held Control



HTS™ MIDWEIGHT™

7'-6" STEEL	7'-6" STEEL	7'-6" POLY
IUTHS76	IUTM75	IUTM75
69500	64340	64330
69525	64336	
n/a	67992	
n/a	64620	
n/a	28800	
29070-1		
96800	56369	
96900	56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)				
									Mount Kit	Notes		Mount Kit	Notes					
LIBERTY LIMITED	4x4	SU-4DR	No	---	3.7L V6	2750	3200	5600	H13 use 29049	3713-2	8	0	0	n/a	---	---	---	---
LIBERTY SPORT	4x4	SU-4DR	No	---	3.7L V6	2750	3200	5600		3713-2	8	0	0	n/a	---	---	---	---
WRANGLER	4x4	SU-2DR	No	---	n/a	n/a	n/a	4900		42113-1	8	?	?	n/a	---	---	---	---
WRANGLER UNLIMITED	4x4	SU-4DR	No	---	n/a	n/a	n/a	4900		42113-1	8	?	?	n/a	---	---	---	---


- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - These Snowplows Are For Personal/Homeowner Use Only.




# 2009 Mazda

## Section 1

### Suburbanite™, HTS™ & MIDWEIGHT™ Blades

	
<b>Suburbanite™</b>	
6'-8" POLY	7'-4" POLY
<b>SUB68</b>	<b>SUB74</b>
Blade Assembly	27546 27548
AQ&L Assembly Box 1	27550
AQ&L Assembly Box 2	n/a
Hydraulic Kit	27516-1
Light Kit	64100
Choose a Module	29070-1
Choose a Joystick Control or Hand-Held Control	56369 56462

		
<b>HTS™</b>	<b>MIDWEIGHT™</b>	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY
<b>IUTHS76</b>	<b>IUTM75</b>	<b>IUTM75</b>
69500	64340	64330
69525	64336	
n/a	67992	
n/a	64620	
n/a	28800	
29070-1		
96800	56369	
96900	56462	


Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)				
									Mount Kit	Notes		Mount Kit	Notes					
B4000	4x4	CabPlus	No	6.0 Box	4.0L V6	n/a	n/a	4960	HB5 use	1203	8	?	?	n/a	---	---	---	---
B4000	4x4	CabPlus4	No	6.0 Box	4.0L V6	n/a	n/a	4960	29050	1203	8	?	?	n/a	---	---	---	---


- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - These Snowplows Are For Personal/Homeowner Use Only.

# 2009 Nissan

## Section 1

### Suburbanite™, HTS™ & MIDWEIGHT™ Blades

 Suburbanite™	
6'-8" POLY	7'-4" POLY
<b>SUB68</b>	<b>SUB74</b>
Plow Blade Assembly	
AQ&L Assembly Box 1	
AQ&L Assembly Box 2	
Hydraulic Kit	
Light Kit	
Choose a Module	
Choose a Joystick Control or Hand-Held Control	

 UltraMount®		
<b>HTS™</b>	<b>MIDWEIGHT™</b>	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY
<b>IUTHS76</b>	<b>IUTM75</b>	<b>IUTMY75</b>
69500	64340	64330
69525	64336	
n/a	67992	
n/a	64620	
n/a	28800	
29070-1		
96800	56369	
96900	56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)	UltraMount® System		Ballast Guidelines, lbs (1)			
									Mount Kit	Notes		Mount Kit	Notes				
TITAN XE	4x4	n/a	No	6.5 Box	n/a	n/a	6522	HB3/HB4 use 29048 & 28027-2	31303	8,40	---	?	35066	40,52,53	?	---	---
FRONTIER	4x4	n/a	No	6.1 Box	n/a	n/a	5600	HB5 use 29050	31313	8	?	?	n/a	---	---	---	---


- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - These Snowplows Are For Personal/Homeowner Use Only.
  - Removal of skid plate or splash guard required.


- Some vehicles may require suspension aids to maintain adequate ground clearance.
- This model is equipped with the UltraMount® mount system.

# 2009 Toyota

## Section 1

### Suburbanite™, HTS™ & MIDWEIGHT™ Blades

	
<b>Suburbanite™</b>	
6'-8" POLY	7'-4" POLY
<b>SUB68</b>	<b>SUB74</b>
Plow Blade Assembly	
27546	
AQ&L Assembly Box 1	
27550	
AQ&L Assembly Box 2	
n/a	
Hydraulic Kit	
27516-1	
Light Kit	
64100	
Choose a Module	
29070-1	
Choose a Joystick Control or Hand-Held Control	
56369	
56462	

		
<b>HTS™</b>	<b>MIDWEIGHT™</b>	
7'-6" STEEL	7'-6" STEEL	7'-6" POLY
<b>IUTHS76</b>	<b>IUTM75</b>	<b>IUTMY75</b>
69500	64340	64330
69525	64336	
n/a	67992	
n/a	64620	
n/a	28800	
29070-1		
96800		56369
96900		56462

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	Personal Plow System		Ballast Guidelines, lbs (1)		UltraMount® System		Ballast Guidelines, lbs (1)		
									Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	
TACOMA	4x4	n/a	No	6.1 Box	n/a	n/a	5100	HB2 use 29051	32323	8	?	?	n/a	---	---	---	---
TUNDRA DX	4x4	Reg Cab	No	6.5 Box	4.7L V8	4000	4050	6800	32333	8	---	0	31139	52,53	50	160	150
TUNDRA DX	4x4	Reg Cab	No	6.5 Box	5.7L V8	4000	4050	6800	32333	8	---	0	31139	52,53	40	150	150
TUNDRA DX	4x4	Reg Cab	No	8.0 Box	4.7L V8	4000	4150	7000	32333	8	---	0	31139	52,53	100	200	200
TUNDRA DX	4x4	Reg Cab	No	8.0 Box	5.7L V8	4000	4150	7200	32333	8	---	0	31139	52,53	60	230	180
TUNDRA SR5	4x4	Reg Cab	No	6.5 Box	4.7L V8	4000	4050	6800	32333	8	---	0	31139	52,53	50	160	150
TUNDRA SR5	4x4	Reg Cab	No	6.5 Box	5.7L V8	4000	4050	6800	32333	8	---	0	31139	52,53	40	150	150
TUNDRA SR5	4x4	Reg Cab	No	8.0 Box	4.7L V8	4000	4150	7000	32333	8	---	0	31139	52,53	100	200	200
TUNDRA SR5	4x4	Reg Cab	No	8.0 Box	5.7L V8	4000	4150	7200	32333	8	---	0	31139	52,53	60	230	180
TUNDRA SR5	4x4	Double Cab	No	6.5 Box	4.7L V8	4000	4100	6900	32333	8	---	0	31139	52,53	40	---	---
TUNDRA SR5	4x4	Double Cab	No	6.5 Box	5.7L V8	4000	4150	7100	32333	8	---	0	31139	52,53	10	---	---
TUNDRA SR5	4x4	Double Cab	No	8.0 Box	4.7L V8	4000	4150	7000	32333	8	---	0	31139	52,53	---	---	---
TUNDRA SR5	4x4	Double Cab	No	8.0 Box	5.7L V8	4000	4150	7200	32333	8	---	0	31139	52,53	620	---	---
TUNDRA SR5	4x4	Crew Max	No	5.5 Box	4.7L V8	4000	4150	7000	32333	8	---	0	31139	52,53	170	---	---
TUNDRA SR5	4x4	Crew Max	No	5.5 Box	5.7L V8	4000	4150	7200	32333	8	---	0	31139	52,53	130	---	---
TUNDRA LIMITED	4x4	Double Cab	No	6.5 Box	4.7L V8	4000	4100	6900	32333	8	---	0	31139	52,53	20	---	---
TUNDRA LIMITED	4x4	Double Cab	No	6.5 Box	5.7L V8	4000	4150	7100	32333	8	---	0	31139	52,53	0	---	---
TUNDRA LIMITED	4x4	Crew Max	No	5.5 Box	4.7L V8	4000	4150	7000	32333	8	---	0	31139	52,53	130	---	---
TUNDRA LIMITED	4x4	Crew Max	No	5.5 Box	5.7L V8	4000	4150	7200	32333	8	---	0	31139	52,53	110	---	---

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - These Snowplows Are For Personal/Homeowner Use Only.
  - Some vehicles may require suspension aids to maintain adequate ground clearance.

53. This model is equipped with the UltraMount® mount system.

# 2009 Toyota

## Section 2

### PRO-PLOW® Series 2, PRO PLUS® & HEAVYWEIGHT Blades

UltraMount								
PRO-PLOW® Series 2					PRO PLUS®			
7'-6" STEEL	7'-6" POLY	8' STEEL	8' POLY	8'-6" STEEL	7'-6" STEEL	8' STEEL	8'-6" STEEL	9' STEEL
<b>IUTP75S2</b>	<b>IUTPY75S2</b>	<b>IUTP80S2</b>	<b>IUTPY80S2</b>	<b>IUTP85S2</b>	<b>IUTPP75</b>	<b>IUTPP80</b>	<b>IUTPP85</b>	<b>IUTPP90</b>
60381	62400	60390	62450	60308	64750	66980	66974	66901
67950				66490				
64588				67951-2				
64999				64999				
28800-1				28800-1				
29070-1				29070-1				
56369				56369				
56462				56462				

UniMount	
HEAVYWEIGHT	
9' STEEL	10' STEEL
<b>IUHW90</b>	<b>IUHW10</b>
62301	62302
62298-1	
62299-1	
64400	
28800-1 & 28340	
29070-1	
56369	
56462	

Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)								UniMount® System		Ballast Guidelines, lbs (1)			
									Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes								
TUNDRA DX	4x4	Reg Cab	No	6.5 Box	4.7L V8	4000	4050	6800	HB3/H11 US use 29400-2 or HB3/H11 Canada use 29400-2	31139	43,53	520	---	---	---	---	---	---	---	---	n/a	---	---	---
TUNDRA SR5	4x4	Reg Cab	No	6.5 Box	4.7L V8	4000	4050	6800	HB3/H11 US use 29400-2 or HB3/H11 Canada use 29400-2	31139	43,53	520	---	---	---	---	---	---	---	---	n/a	---	---	---

- Notes:**
- Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.
  - This model is scheduled for phase-out. Please check with your sales outlet for availability.
  - This model is equipped with the UltraMount® mount system.

# 2009 International

## Section 2

### PRO-PLOW® Series 2, PRO PLUS® & HEAVYWEIGHT Blades

UltraMount®								
PRO-PLOW® Series 2					PRO PLUS®			
7'-6" STEEL	7'-6" POLY	8' STEEL	8' POLY	8'-6" STEEL	7'-6" STEEL	8' STEEL	8'-6" STEEL	9' STEEL
<b>IUTP75S2</b>	<b>IUTPY75S2</b>	<b>IUTP80S2</b>	<b>IUTPY80S2</b>	<b>IUTP85S2</b>	<b>IUTPP75</b>	<b>IUTPP80</b>	<b>IUTPP85</b>	<b>IUTPP90</b>
60381	62400	60390	62450	60308	64750	66980	66974	66901
67950				66490				
67951-2					64999			
64588				28800-1				
29070-1					56369			
56462					56462			

UniMount	
HEAVYWEIGHT	
9' STEEL	10' STEEL
<b>IUHW90</b>	<b>IUHW10</b>
62301	62302
62298-1	
62299-1	
64400	
28800-1 & 28340	
29070-1	
56369	
56462	


Model	Body Style	DRW	Box Option	Engine Type	Min F G A W R	Min R G A W R	Min G V W R	Harness Kit	UltraMount® System		Ballast Guidelines, lbs (1)								UniMount® System		Ballast Guidelines, lbs (1)			
									Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes	Mount Kit	Notes						
4000 SERIES	4x2	n/a	Yes	Chassis	n/a	n/a	10001	2B use 29053 & 29234 or HB5 use 29053 & 29235	n/a	---	---	---	---	---	---	---	---	---	---	---	62275	---	?	?
4000 SERIES (Low Pro)	4x2	n/a	Yes	Chassis	n/a	n/a	10001	2B use 29053 & 29234 or HB5 use 29053 & 29235	n/a	---	---	---	---	---	---	---	---	---	---	---	62275	---	?	?

**Notes:**  
 1. Ballast amounts are based on a "Representative Vehicle," defined in the vehicle selection guide instructions, and must be modified for all other configurations for axle and GVWR compliance.

# HEADLAMP TYPE IDENTIFICATION GUIDE


**NOTE:** The lamp type is usually embossed in the headlamp lens.

## 1A/2A




Bulb Type: 1A: H4651  
2A: H4652 (General Motors)  
 H4656 (Mitsubishi)

## 2B/2D & HB-2




Bulb Type: 2B: H6054  
2D: H6024  
HB-2: 9003

## 2E




Bulb Type: H6545

## H11




Bulb Type: H11

## H13




Bulb Type: 9008

## HB-1 & HB-5




Bulb Type: HB-1: 9004  
HB-5: 9007

## HB-3




Bulb Type: 9005

## HB-4



Bulb Type: 9006

## LF / UF



Bulb Type: LF: H4703  
UF: H4701

## WEIGHT AND DIMENSIONAL CHARTS

Snowplows and Accessories Information												
Snowplows		Accessories – Part Number (Effective Added Weight in lb)										Var.
Size	Wt. (lb)	HD Poly Deflector	Rubber Deflector	Cutting Edge 3/8"	Cutting Edge 1/2"	Back Drag Edge	Wing Kit	Shoes	Blade Stops	Curb Guard	Dolly Wheel	Z (in)
SUB68	239	--	--	--	--	--	--	27710 (5.7)	--	--	--	20.4
SUB74	257	--	--	--	--	--	--	27710 (5.7)	--	--	--	20.8
IUH7S76	412	--	62123-1	28594	64775	64758	--	69570	--	44404	--	20.0
IUTM75	540	63700 (19.1)	62123-1 (29.6)	--	--	64758 (47.0)	--	64392 (21.1)	--	44404 (61.3)	--	20.4
IUTMY75	532	63700 (19.1)	62123-1 (29.6)	--	--	64758 (47.0)	--	64392 (21.1)	--	44404 (61.6)	--	20.3
IUTP75S2	682	63700 (19.2)	62123-1 (29.7)	--	49346 (25.8)	64758 (47.0)	--	--	--	44403 (63.8)	--	25.6
IUTPY75S2	719	--	--	--	49350 (24.8)	64758 (47.0)	--	--	--	44403 (58.4)	--	26.5
IUTP80S2	699	63670 (20.1)	62530 (33.8)	--	49347 (27.4)	66892 (60.6)	--	--	--	44403 (62.3)	--	25.9
IUTPY80S2	727	--	--	--	49351 (26.9)	66892 (60.6)	--	--	--	44403 (59.0)	--	26.8
IUTP85S2	715	63670 (21.1)	62220 (35.5)	--	49348 (28.8)	66999 (63.5)	--	--	--	44403 (61.7)	--	26.3
IUTPP75	789	63700 (12.4)	62123-1 (28.9)	--	--	64758 (59.7)	64410 (90.0)	--	--	44404 (41.2)	--	26.1
IUTPP80	805	63670 (13.3)	62530 (32.2)	--	--	66892 (63.2)	64410 (90.0)	--	--	44404 (40.7)	--	26.4
IUTPP85	821	63670 (14.2)	62220 (35.5)	--	--	66999 (66.2)	64410 (90.0)	--	--	44404 (40.3)	--	26.7
IUTPP90	837	63670 (15.0)	62220 (37.1)	--	--	66991 (69.2)	64410 (90.0)	--	--	44404 (39.8)	--	27.0
IUTMVPP75	827	--	44280 (55.5)	--	44284-1 (36.6)	44281-2 (49.1)	--	44277 (43.2)	44473 (21.4)	44404 (25.2)	--	18.4
IUTMVPPY75	799	--	44280 (55.5)	--	44284-1 (36.6)	44281-2 (49.1)	--	44277 (43.2)	44473 (21.4)	44404 (25.5)	--	18.4
IUTMVPP85	880	--	44280 (61.8)	--	44285-1 (40.0)	44282-2 (54.7)	44510-1 (91.8)	44277 (32.0)	44473 (21.5)	44404 (24.0)	--	18.3
IUTMVPPY85	847	--	44280 (61.8)	--	44285-1 (40.0)	44282-2 (54.7)	44510-1 (91.8)	44277 (32.0)	44473 (21.5)	44404 (24.1)	--	18.3
IUTMVPP95	1006	--	44280 (68.7)	--	--	44283-2 (57.3)	44510-1 (76.1)	44277 (26.7)	44473 (20.9)	44404 (22.8)	--	18.8
IUTMVPPY95	964	--	44280 (68.7)	--	--	44283-2 (57.3)	44510-1 (76.1)	44277 (26.7)	44473 (20.9)	44404 (23.5)	--	18.8
IUTWO810	940	--	52280 (83.0)	--	--	52278 (52.9)	--	44277 (39.4)	--	--	--	27.8
IUHW90	1048	--	62220 (37.8)	--	--	--	--	--	--	44404 (33.7)	62430 (24.8)	33.0
IUHW10	1106	--	62124 (45.8)	--	--	--	--	--	--	44404 (33.1)	62430 (24.8)	33.6
--	--	UltraMount to UniMount Conversion Kit 27170 (104.0)										Varies

**NOTE: The addition of accessories to a snowplow or vehicle will require additional ballast above any amount published in this guide in order to maintain FMVSS compliance. Completed vehicle with additional accessories shall not exceed GVWR or GAWR.**

**NOTE: An abbreviation key is on page 2.**

**NOTE: See next page for variable definitions.**

## WEIGHT AND DIMENSIONAL CHARTS

Mount Information							
Mount	Weight (lb)	X (in)	Y (in)	Mount	Weight (lb)	X (in)	Y (in)
<b>Suburbanite™ Mounts</b>							
1203	34	27.0	6.0	31263	28	27.0	6.0
1213-1	23	26.0	6.0	31303	43	27.9	4.8
1223	40	28.0	7.0	31313	38	25.0	5.0
1233	34	32.0	7.1	31543-1	20	28.5	7.1
1503	26	27.0	6.0	31553	34	32.0	5.5
1523	26	30.0	6.0	32323	36	30.0	7.3
1533-1	31	26.0	5.0	32333	40	30.0	6.0
2303	41	29.0	6.0	33903	45	31.0	7.8
2313	30	27.0	5.0	33913	49	40.0	4.0
3713-2	20	26.0	5.0	33923	49	40.0	4.0
3723	35	21.4	5.0	42021	37	29.0	8.0
31243	36	28.0	6.5	42113-1	29	23.5	5.5
31253	34	32.0	7.1				
<b>UniMount® and UltraMount® Mounts</b>							
1369	80	32.9	8.3	35066	37	30.1	8.2
1379	83	32.9	8.3	62275	Varies		
3249	65	30.4	9.8	63710-1	87	27.8	5.7
3919	47	30.1	8.5	63760	40	30.0	8.0
30999	40	33.5	8.0	63883-2	47	37.0	6.9
31139	33	29.0	8.0	63900	87	29.6	12.5
31269	65	35.0	10.4	64110	115	38.0	10.0
31599	42	38.4	8.5	64500	33	32.5	8.9
33109	110	38.0	7.0	67810	44	35.1	8.7
33259	43	33.5	10.8	67865	41	31.3	7.6
33559	115	38.0	10.0	67960-1	34	29.1	7.6
33884	47	37.0	6.9	67980	51	35.0	8.5
33929	39	32.5	8.1	67981-2	54	32.4	11.4
33939	75	36.0	6.0	67982	69	30.4	9.0
33949	40	33.5	8.0	68600	30	32.5	8.9

---

**NOTE: An abbreviation key is on page 2.**

---



---

**NOTE: See page 33 for variable definitions.**

---




## DIMENSIONAL DIAGRAM

### Variables:

X = Distance from center of front axle to receiver pin.

Y = Distance from receiver pin to CG of mount.

Z = Distance from receiver pin to CG of snowplow.



**Example:** Weight that one would use if they had an IUTP75S2 with the poly deflector and a 1/2" cutting edge.

The weight of the snowplow alone with no accessories would be 682 lb with its center of gravity 20.8 in from the coupling point. To add the weight of the accessories, look in the row with the IUTP75S2 blade to find the effective poly deflector weight of 19.2 lb and the effective cutting edge weight of 25.8 lb.

The total weight of the blade and accessories will be:

$$\begin{array}{r}
 682.0 \\
 19.2 \\
 + 25.8 \\
 \hline
 727.0
 \end{array}$$

with its center of gravity still at 20.8 in from the coupling point

ALWAYS comply with the vehicle manufacturer's stated gross vehicle and axle weight ratings (found

on the driver-side door jamb of the vehicle) and front and rear weight distribution ratio with the snowplow installed. In some cases, rear ballast may be required to achieve these requirements.

Available vehicle capacities for aftermarket equipment and components can be determined by using the above information along with information provided by the vehicle manufacturer's Body Builder Guides. Follow all requirements and recommendations as stated by vehicle manufacturer.

---

**NOTE: An abbreviation key is on page 2.**

---

# VEHICLE AND PLOW APPLICATION INQUIRY SHEET



**Western Products**  
 7777 North 73<sup>rd</sup> Street  
 Milwaukee, WI 53223

Telephone (414) 354-2310  
 Fax (414) 354-6664

DISTRIBUTOR				TEL
				FAX
CUSTOMER				
VIN				DATE BUILT
SELECT MOUNT TYPE	<input type="checkbox"/> UniMount <sup>®</sup>	<input type="checkbox"/> UltraMount <sup>®</sup>	<input type="checkbox"/> Conversion Kit	
	<input type="checkbox"/> Suburbanite™			

## VEHICLE INFORMATION

YEAR				
MAKE				
MODEL				
DRIVE TRAIN	<input type="checkbox"/> 4x2 (over 10,000 lb. GVW only)	<input type="checkbox"/> 4x4	<input type="checkbox"/> ALL WHEEL	<input type="checkbox"/> OTHER
DRW (Dual Rear Wheels)	<input type="checkbox"/> YES	<input type="checkbox"/> NO		
BODY STYLE	<input type="checkbox"/> REG CAB	<input type="checkbox"/> EXT CAB	<input type="checkbox"/> OTHER	
BOX OPTION (S)	<input type="checkbox"/> DUMP BOX	<input type="checkbox"/> STAKE BED	<input type="checkbox"/> OTHER	
ENGINE TYPE				
GFAWR				
GRAWR				
GVWR				

### HORIZONTAL DISTANCE DESCRIPTION

L31	DRIVERS hip point; in MIDDLE position, to Centerline of FRONT axle	(in.)
L101	Between axles (Wheelbase)	(in.)
L104	Middle of FRONT bumper to centerline of FRONT axle	(in.)
	Middle of ballast location to centerline of REAR axle	(in.)

VEHICLE WEIGHT (TRUCK MUST BE WEIGHED COMPLETE AND EMPTY (-) OCCUPANTS, PLOW & MOUNT)

FRONT (lb.)	REAR (lb.)

FUEL TANKS (ONLY NEEDED IF WEIGHED VEHICLE NOT FULLY FUELED)

FRONT OF AXLE	LEVEL (see below)	CAPACITY (gal.)	LOCATION FROM AXLE TO CENTER OF TANK(in.)
REAR OF AXLE			

FUEL LEVEL (EMPTY = 0, HALF = 1/2, FULL = 1)

**THIS FORM MUST BE COMPLETED IN ITS ENTIRETY. ANY FORMS CONTAINING INCOMPLETE INFORMATION WILL NOT BE CONSIDERED. PLEASE RETURN VIA FAX (414) 354-6664**

Western Products or the vehicle manufacturer may require or recommend optional equipment for snow removal. See the WESTERN® Selection List for additional product information.

## UltraMount® SYSTEM TO UniMount® SYSTEM CONVERSION KIT (PN 27170)

### ⚠ WARNING

Conversion kit use is limited to vehicles up to 19,500 lb GVWR.

### ⚠ WARNING

Do not exceed GVWR or GAWR, including blade and ballast. The rating label is found on the driver-side vehicle door cornerpost.


This easy to use UltraMount system to UniMount system conversion kit enables you to attach a UniMount snowplow to a vehicle equipped with an UltraMount mount.

Simply remove the receivers from your UltraMount system mount, and pin the conversion plate in place. This accessory is perfect for customers with multiple snowplows, providing their fleet with versatility while changing to the UltraMount system.

This new kit is also ideal for transferring an old UniMount snowplow to a new truck. As new trucks are released, we will develop only new UltraMount mounts for these snowplow applications. This will allow the customer to transfer an existing UniMount snowplow to the late model vehicle. In addition, when customers are ready to replace their old UniMount snowplow, the truck will already have the mount and wiring for an UltraMount snowplow.

**TO QUALIFY THE VEHICLE AND DETERMINE BALLAST, YOU MUST FILL OUT THE VEHICLE AND SNOWPLOW APPLICATION INQUIRY SHEET.**

**NOTE: When ballast is required, it should be secured behind the rear wheels in a manner which prevents it from sliding during normal driving. Western Products offers an options ballast retainer kit (PN 62849) for this purpose.**





Western Products  
PO Box 245038  
Milwaukee, WI 53224-9538  
[www.westernplows.com](http://www.westernplows.com)

 A DIVISION OF DOUGLAS DYNAMICS, L.L.C.

Western Products reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used. Western Products or the vehicle manufacturer may require or recommend optional equipment for snow removal. Do not exceed vehicle ratings with a snowplow. Western Products offers a limited warranty for all snowplows and accessories. See separately printed page for this important information. The following are registered (®) or unregistered (™) trademarks of Douglas Dynamics, L.L.C.: HTS™, MIDWEIGHT™, MVP®, MVP PLUS™, POLY PRO-PLOW® Series 2, PRO-PLOW® Series 2, PRO PLUS®, Suburbanite™, UltraMount®, UniMount®, WESTERN®, WIDE-OUT™.

Printed in U.S.A.

---